



UL International (Netherlands) B.V.
Westervoortsedijk 60,
6827 AT Arnhem,
The Netherlands



Member of
EOTA
www.eota.eu

designated according to Article 29 of the Regulation (EU) No 305/2011 and member of EOTA (European Organisation for Technical Assessment, www.eota.eu)

European Technical Assessment

ETA 23/0050
of 29/08/2023

Technical Assessment Body issuing the ETA and designated according to Article 29 of the Regulation (EU) No 305/2011: UL International (Netherlands) B.V.

Trade name of the construction product

Mulcol® Multimastic C System

Product family to which the construction product belongs

Fire Stopping and Sealing Product:
• Penetration Seals

Manufacturer

Mulcol International BV
PO Box 93
4330 AB Middelburg
The Netherlands

Manufacturing plant(s)

L/002

This European Technical Assessment contains

240 pages including 3 Annexes which form an integral part of this assessment.

This European Technical Assessment is issued in accordance with regulation (EU) No 305/2011, on the basis of

EAD 350454-00-1104

Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and should be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full. However, partial reproduction may be made, with the written consent of the issuing Technical Assessment Body. Any partial reproduction has to be identified as such.

I.	SPECIFIC PARTS OF THE EUROPEAN TECHNICAL ASSESSMENT	3
1.	Technical description of the product	3
2.	Specification of the intended uses of the product in accordance with the applicable European Assessment Document (hereinafter EAD): EAD 350454-00-1104	3
3.	Performance of the product and references to the methods used for its assessment	5
4.	Assessment and Verification of Constancy of Performance (hereinafter AVCP) applied, with reference to its legal base	6
5.	Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD	6

Annex - Resistance to Fire Classification - Mulcol® Multimastic C

Annex A - Flexible and rigid walls	13
Annex B - Rigid floors	130
Annex C - General	227

I. SPECIFIC PARTS OF THE EUROPEAN TECHNICAL ASSESSMENT

1. Technical description of the product

- 1) Mulcol® Multimastic FB is a mineral wool board coated with waterborne Mulcol® Multimastic C ablative firestop coating based on a sustainable polymer system used to reinstate the fire resistance performance of wall and floor constructions where they have been provided with apertures for the penetration of single or multiple services.
- 2) The Mulcol® Multimastic FB is supplied coated on one face, referenced FB1, or on both faces, referenced FB2. The board or boards are then cut to allow the penetration of the required services, before being inserted into or over the aperture in the wall or floor.
- 3) The products below can be used in conjunction with Mulcol® Multimastic FB depending upon the required application and classification (see Annex A/B). These products are subject to separate ETAs.
 - Mulcol® Multimastic SP, firestop mastic
 - Mulcol® Multicollar *Slim*, universal fire collar
 - Mulcol® Multiwrap, fire wrap
 - Mulcol® Multisealant GR, firestop intumescent graphite
 - Mulcol® Multitherm Bandage, thermal insulation
 - Mulcol® Multidisc, firestop disc
 - Mulcol® Multifoam 2K, 2 Component Fire Protection Foam
 - Mulcol® Multifoam Stone, fire protection stone

The applicant has submitted a written declaration that Mulcol® Multimastic FB, Mulcol® Multimastic C and Mulcol® Multimastic SP do not contain substances which have to be classified as dangerous according to Directive 67/548/EEC and Regulation (EC) No 1272/2008 and listed in the "Indicative list on dangerous substances" of the EGDS - taking into account the installation conditions of the construction product and the release scenarios resulting from there.

In addition to the specific clauses relating to dangerous substances contained in this European technical Assessment, there may be other requirements applicable to the products falling within its scope (e.g. transposed European legislation and national laws, regulations and administrative provisions). In order to meet the provisions of the Construction Products Regulation, these requirements need also to be complied with, when and where they apply.

2. Specification of the intended uses of the product in accordance with the applicable European Assessment Document (hereinafter EAD): EAD 350454-00-1104

Detailed information and data is given in Annex A, B and C.

- 1) The intended use of Mulcol® Multimastic FB is to reinstate the fire resistance performance of flexible wall, rigid wall and floor constructions where they are penetrated by various services.
- 2) The specific elements of construction that the system Mulcol® Multimastic FB may be used to provide a penetration seal in, are as follows:
 - a) Flexible walls*: The wall must have a minimum thickness of 100 mm. Apertures in flexible walls are not required to be lined.
 - b) Rigid walls*: The wall must have a minimum thickness of 100 mm and comprise concrete, aerated concrete or masonry, with a minimum density of 400 kg/m³.
 - c) Rigid floors: The floor must have a minimum thickness of 150 mm and comprise aerated concrete or concrete with a minimum density of 400 kg/m³.* See Annex C for the field of application.
The supporting construction must be classified in accordance with EN 13501-2 for the required fire resistance period.
- 3) The system Mulcol® Multimastic FB may be used to provide a penetration seal with services e.g. cables, cable trays, metal pipes, composite pipes and plastic pipes, with and without insulation, with mixed services within the same seal/aperture (for details see Annex A and B).
- 4) The Mulcol® Multimastic FB panels have a minimum density of 150 kg/m³ and are of type Isover BSP, Paroc Pyrotech, Rockwool Hardrock, SVT/Flamro or equal.
- 5) The Mulcol® Multimastic C System FB1 (2x 50 mm) and System FB2 (1x 60 mm) may be used to seal apertures in separating elements up to a maximum seal size given in Annex C. The minimum permitted separation between adjacent seals/apertures is 100 mm. Where seals are installed without services (blank), precautions need to be taken to prevent a person stepping onto a horizontal seal or falling onto a vertical seal.
- 6) The provisions made in this European Technical Assessment are based on an assumed working life of 25 years, provided that the conditions laid down in the product datasheet for the packaging/ transport/ storage/ installation/ use/ repair are met. The indications given on the working life cannot be interpreted as a guarantee given by the producer, but are to be regarded only as a means for choosing the right products in relation to the expected economically reasonable working life of the works.
- 7) Type Z₂: Intended for uses in internal conditions with humidity lower than 85 % RH excluding temperatures below 0°C, without exposure to rain or UV.
- 8) Mutual distances between services and minimum support distances are given in Annex C.

- 9) It is allowed, for aesthetic reasons, to apply a \geq 25mm overlap of Multimastic C coating on the adjacent construction around the penetration seal, but it is not mandatory.
- 11) If the solution is in combination with the Mulcol® Multiwrap, a maximum of 5 mm protrusion from the surface of the separating element or penetration seal is allowed.
- 12) Insulation types
The following acoustic insulation types are allowed (or equal):
 - ABSound Sonocool
 - Jacomassa / Sonimass
 - Merfisol Silver Alu
 - ThermaCompact TF
The following elastomeric insulation types are given in Annex A and B (or equal, not limited by brand or type):
 - Reaction to fire class \leq B-s1, d0 – e.g. ArmaFlex Ultima, Kaiflex KK Plus S1
 - Reaction to fire class \leq B-s2, d0 – e.g. ArmaFlex AF EVO, Kaiflex KK Plus S2 / ST, K-Flex ST
 - Reaction to fire class \leq B-s3, d0 – e.g. ArmaFlex AF / XG / SH, K-Flex H
 - Reaction to fire class \leq C-s2, d0 – e.g. Kaiflex HT S2
 - Reaction to fire class \leq D-s3, d0 – e.g. ArmaFlex NH / SH / HT
The insulations may also have a B_L, C_L or D_L classification (linear insulation).
- 13) Pipes types
The following multi layered pipes (or equal) are allowed:
 - Alpex DUO, Valsir Pexal, Valsir Mixal and APE Plain (PE-Xb/AL/PE-Xb)
 - Uponor and Geberit Mepla (PE-RT/AL/PE-RT)
 - Uponor and Henco (PE-Xc/AL/PE-Xc)
 - Uponor and REHAU (PE-Xa) and REHAU (PE-Xc)
 - SP Superpipe and POLYGON PEX (PE-X/AL/PE-X)
 - Valsir Pexal and Valsir Mixal (PE/AL/PE-Xb)
 - Wavin Tigris, Protecta-Line System and Alpex F50 Profi (PE-X/AL/PE)
The following fibre composite pipes (or equal) are allowed:
 - Aquatechnik Fusio PP-R 80, Aquatechnik Fusio PP-RCT
 - Aquatherm Blue-MF, Aquatherm Blue-S, Aquatherm Red-MF, Aquatherm Green-MF, Aquatherm Green-MS, Aquatherm Green-S, Aquatherm Lilac-S, Aquatherm Grey-MS and Aquatherm Orange M
 - Bänninger PP-R, Bänninger Climatec PP-RCT and Bänninger Watertec PP-RCT
The following low-noise (Silent) pipes (or equal) are allowed:
 - Coes PhoNoFire and Coestilen BluePower
 - Geberit Silent PP and Geberit Silent dB 20
 - Girpi Friaphon and Marley Silent
 - Pipelife Master 3 and PhonEX AS
 - Poloplast POLO-KAL NG and Poloplast POLO-KAL 3S
 - Skolan dB
 - Raupiano Plus
 - Valsir Triplus, Wavin SiTech+ and Wavin AS
 - DykaSono
 - Uponor Decibel

3. Performance of the product and references to the methods used for its assessment

Product-type: Coated Board		Intended use: Penetration Seal
Assesment method	Essential characteristic	Product Performance
<u>BWR 2 Safety in case of fire</u>		
EN 13501-1	Reaction to fire	E
EN 13501-1	Resistance to fire	Annex A, B & C
<u>BWR 3 Hygiene, health and enviroment</u>		
EN 1026	Air permeability	No performance determined
EAD 350454-00-1104, Annex C	Water permeability	No performance determined
Declaration of manufacturer & EN 16516	Release of dangerous substances	IA1, S/W 1 - Declaration of manufacturer
<u>BWR 4 Safety in use</u>		
EOTA TR 001:2003	Mechanical resistance and stability	No performance determined
EOTA TR 001:2003	Resistance to impact/movement	No performance determined
EOTA TR 001:2003	Adhesion	No performance determined
EAD 350454-00-1104, Clause 2.2.9	Durability	Z ₂
<u>BWR 5 Protection against noise</u>		
EN 10140-1,2,4,5 / EN ISO 7171-1	Airborne sound insulation	R _w (C;C _{tr}) = 28 (-1;-3) dB
<u>BWR 6 Energy economy and heat retention</u>		
EN 12664, EN 12667, EN 12939, EN ISO 8990, EN ISO 6946, EN ISO 14683, EN ISO 10211, EN ISO 10456	Thermal properties	No performance determined
EN ISO 12572, EN 12086, EN ISO 10456	Water vapour permeability	No performance determined

4. Assessment and Verification of Constancy of Performance (hereinafter AVCP) applied, with reference to its legal base

According to the decision 1999/454/EC – Commission Decision of date 22nd June 1999 on the procedure for attesting the conformity of construction products pursuant to Article 20(2) of Council Directive 89/106/EEC as regards to fire stopping, fire sealing and fire protective products, published in the Official Journal of the European Union (OJEU) L178/52 of 14/07/1999, see <http://eur-lex.europa.eu/JOLIndex.do> of the European Commission1, as amended, the system(s) of assessment and verification of constancy of performance (see Annex V to Regulation (EU) No 305/2011) given in the following table(s) applies (apply).

Product(s)	Intended use(s)	Level(s) or class(es)	System(s)
Fire stopping and Fire Sealing Products	For fire compartmentation and/or fire protection or fire performance	Any	1

5. Technical details necessary for the implementation of the AVCP system, as provided for in the applicable EAD

Tasks of the manufacturer:

Factory production control

The manufacturer shall exercise permanent internal control of production. All the elements, requirements and provisions adopted by the manufacturer shall be documented in a systematic manner in the form of written policies and procedures, including records of results performed. This production control system shall ensure that the product is in conformity with this European Technical Assessment.

The manufacturer may only use initial / raw / constituent materials stated in the technical documentation of this European Technical Assessment.

The factory production control shall be in accordance with the Control Plan of 7th February 2023 relating to the European Technical Assessment ETA 23/0050 issued on 29/08/2023 which is part of the technical documentation of this European Technical Assessment. The “Control Plan” is laid down in the context of the factory production control system operated by the manufacturer and deposited at UL International (Netherlands) B.V.

The results of factory production control shall be recorded and evaluated in accordance with the provisions of the Control Plan.

Other tasks of the manufacturer:

Additional information

The manufacturer shall provide a technical data sheet and an installation instruction with the following minimum information:

(a) Technical data sheet:

- Field of application:
- Building elements for which the penetration seal is suitable, type and properties of the building elements like minimum thickness, density, and - in case of lightweight constructions - the construction requirements.
- Limits in size, minimum thickness etc. of the penetration seal
- Construction of the penetration seal including the necessary components and additional products (e.g. backfilling material) with clear indication whether they are generic or specific.
- Services which the penetration seal is suitable, type and properties of the services like material, diameter, thickness etc. in case of pipes including insulation materials; necessary/allowed supports/fixings (e.g. pipe trays)

(b) Installation instruction:

- Steps to be followed
- Procedure in case of retrofitting
- Stipulations on maintenance, repair and replacement

6. Issued on:

29 August 2023

Report by:



C. Johnson

Senior Staff Engineer

Built Environment

Verified by:



D. Yates

Staff Engineer

Built Environment

Validated by:



Erik Teubler

Head of TAB

Built Environment

For and on behalf of UL International (Netherlands) B.V.

Annex - Resistance to Fire Classification - Mulcol® Multimastic C

Annex A.1 - Flexible and rigid walls

A.1.1	Multimastic FB1 - 2x 50 mm - Cables, trays and conduits	13
A.1.1.1	Cables, trays and conduits - Multimastic C - 50 mm	13
A.1.1.2	Cables, trays and conduits - Multimastic C - 150 mm	14
A.1.1.3	Cables and trays - Multitherm Bandage	15
A.1.1.4	Cables and trays - Multifoam 2K	16
A.1.1.5	Single plastic conduits - Multidisc	17
A.1.1.6	Multiple plastic conduits - Multidisc	18
A.1.1.7	Single plastic conduits - Multisealant GR	19
A.1.1.8	Multiple plastic conduits - Multisealant GR	20
A.1.1.9	Single cables - Multidisc	21
A.1.1.10	Multiple cables - Multidisc	22
A.1.2	Multimastic FB1 Patter fixed to wall - 2x 50 mm - Cables, trays and conduits	23
A.1.2.1	Cables, trays and conduits - Multimastic C	23
A.1.2.2	Single plastic conduits - Multidisc	24
A.1.2.3	Single cables - Multidisc	25
A.1.2.4	Multiple cables - Multidisc	26
A.1.3	Multimastic FB2 - 1x 60 mm - Cables, trays and conduits	27
A.1.3.1	Cables, trays and conduits - Multimastic C	27
A.1.3.2	Single plastic conduits - Multidisc	28
A.1.3.3	Single plastic conduits - Multisealant GR	29
A.1.3.4	Single cables - Multidisc	30
A.1.3.5	Multiple cables - Multidisc	31
A.1.4	Multimastic FB1 - 2x 50 mm - Combustible pipes	32
A.1.4.1	Plastic pipes - Multicollar <i>Slim</i>	32
A.1.4.2	Plastic pipes perpendicular to 45° - Multicollar <i>Slim</i>	34
A.1.4.3	Plastic pipes - Multiwrap	35
A.1.4.4	Plastic pipes with cables - Multiwrap	37
A.1.4.5	Plastic pipes - Multimastic SP	38
A.1.4.6	Plastic pipes - Multisealant GR	39
A.1.4.7	Plastic pipes (Silent) - Multiwrap	40
A.1.4.8	PP-R multilayer pipes - Multicollar <i>Slim</i>	42
A.1.4.9	PP-R multilayer pipes - Multiwrap	43
A.1.4.10	PP-R multilayer pipes - With or without Elastomer CS - Multisealant GR	44
A.1.4.11	PP-R multilayer pipes - Elastomer LI 300 / CI - Multicollar <i>Slim</i>	45
A.1.4.12	Beverage dispense tubing - Multicollar <i>Slim</i>	46
A.1.4.13	Beverage dispense tubing - Multicollar <i>Slim</i>	47
A.1.4.14	Rectangular duct - Multicollar <i>Slim</i>	48
A.1.5	Multimastic FB2 - 1x 60 mm - Combustible pipes	49
A.1.5.1	Plastic pipes - Multicollar <i>Slim</i>	49
A.1.5.2	Flexible plastic hoses with cables - Multicollar <i>Slim</i>	50
A.1.6	Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)	51
A.1.6.1	Multilayer pipes (MLC) - Multicollar <i>Slim</i>	51
A.1.6.2	Multilayer pipes (MLC) - Multisealant GR	53
A.1.6.3	Multilayer pipes (MLC) - Conduit - Multisealant GR	54
A.1.6.4	Multilayer pipes (MLC) - Stone wool LS 400 / CS	55
A.1.6.5	Multilayer pipes (MLC) - Stone wool LI 400 / CI	56
A.1.6.6	Multilayer pipes (MLC) - Elastomer LS 400 / CS - Multisealant GR	57
A.1.6.7	Multilayer pipes (MLC) - Elastomer LI 300 / CI - Multicollar <i>Slim</i>	58
A.1.6.8	Multilayer pipes (MLC) - ArmaFlex Protect LS 400 / CS - Multimastic SP	59
A.1.6.9	Multilayer pipes (MLC) - Phenolic foam LS 400 / CS - Multicollar <i>Slim</i>	60
A.1.6.10	Multiple Multilayer pipes (MLC) - PE foam - Multicollar <i>Slim</i>	61
A.1.6.11	Multilayer pipes (MLC) - PE foam - Multisealant GR	62
A.1.6.12	Multilayer pipes (MLC) - Multidisc	63
A.1.6.13	Multilayer pipes (MLC) - Multitherm Bandage	64
A.1.7	Multimastic FB1 Patter fixed to wall - 2x 50 mm - Multilayer pipes (MLC)	65
A.1.7.1	Multilayer pipes (MLC) - Multidisc	65
A.1.8	Multimastic FB2 - 1x 60 mm - Multilayer pipes (MLC)	66
A.1.8.1	Multilayer pipes (MLC) - Multidisc	66
A.1.8.2	Multilayer pipes (MLC) - Stone wool LI 400 / CI	67
A.1.9	Multimastic FB1 - 2x 50 mm - Metal pipes insulated mineral wool	68
A.1.9.1	Copper and steel pipes - Stone wool LS 400 / CS	68
A.1.9.2	Copper and steel pipes - Stone wool LI 400 / CI	69
A.1.9.3	Steel pipes - Glass wool LS 400 / CS - Multicollar <i>Slim</i>	70
A.1.10	Multimastic FB1 Patter fixed to wall - 2x 50 mm - Metal pipes insulated mineral wool	71
A.1.10.1	Copper and steel pipes - Stone wool LS 400 / CS	71
A.1.10.2	Copper and steel pipes - Stone wool LI 400 / CI	72

A.1.11	Multimastic FB2 - 1x 60 mm - Metal pipes insulated mineral wool	73
A.1.11.1	Copper and steel pipes - Stone wool LS 400 / CS	73
A.1.11.2	Copper and steel pipes - Stone wool LI 400 / CI	74
A.1.12	Multimastic FB1 - 2x 50 mm - Metal pipes insulated elastomer	75
A.1.12.1	Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR	75
A.1.12.2	Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR - Multitherm Bandage	77
A.1.12.3	Copper and steel pipes - Elastomer LS 400 / CS - Multiwrap	79
A.1.12.4	Copper and steel pipes - ArmaFlex Protect LS 400 / CS	81
A.1.13	Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Metal pipes insulated elastomer	82
A.1.13.1	Copper and steel pipes - Elastomer LS400 / CS - Multiwrap	82
A.1.13.2	Copper and steel pipes - ArmaFlex Protect LS 400 / CS	83
A.1.14	Multimastic FB2 - 1x 60 mm - Metal pipes insulated elastomer	84
A.1.14.1	Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR	84
A.1.14.2	Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR - Multitherm Bandage	86
A.1.15	Multimastic FB1 - 2x 50 mm - Metal pipes insulated phenolic foam	88
A.1.15.1	Steel pipes - Phenolic foam LS 400 / CS - Multisealant GR	88
A.1.16	Multimastic FB1 - 2x 50 mm - Metal pipes insulated PIR foam	89
A.1.16.1	Copper and steel pipes - PIR foam LS 400 / CS - Multisealant GR	89
A.1.17	Multimastic FB1 - 2x 50 mm - Metal pipes uninsulated	90
A.1.17.1	Copper and steel pipes - Multimastic SP	90
A.1.17.2	Steel pipes - Multisealant GR	91
A.1.17.3	Copper and steel pipes - Multidisc	92
A.1.17.4	Copper and steel pipes - Multitherm Bandage	93
A.1.18	Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Metal pipes uninsulated	94
A.1.18.1	Copper and steel pipes - Multidisc	94
A.1.18.2	Copper and steel pipes - Multitherm Bandage	95
A.1.19	Multimastic FB2 - 1x 60 mm - Metal pipes uninsulated	96
A.1.19.1	Copper and steel pipes - Multimastic SP	96
A.1.19.2	Steel pipes - Multisealant GR	97
A.1.20	Multimastic FB1 - 2x 50 mm - Busbars	98
A.1.20.1	Single busbar - LI 300	98
A.1.20.2	Single busbar - LI 400	100
A.1.20.3	Multiple busbars - LI 300	102
A.1.20.4	Multiple busbars - LI 400	104
A.1.21	Multimastic FB1 - 2x 50 mm - Multiple services	106
A.1.21.1	Airconditioning set - Multicollar <i>Slim</i>	106
A.1.22	Multimastic FB2 - 1x 60 mm - Multiple services	107
A.1.22.1	Airconditioning set - Multicollar <i>Slim</i>	107
A.1.23	Multimastic FB1 - 2x 50 mm - Gas pipes	108
A.1.23.1	Corrugated stainless steel tube gas (CSST) pipes	108
A.1.23.2	Corrugated stainless steel tube gas (CSST) pipes - Multisealant GR - Multitherm Bandage	109
A.1.24	Directly through wall - Cables, trays and conduits	110
A.1.24.1	Cables, trays and conduits - Multimastic C - 50 mm	110
A.1.24.2	Cables, trays and conduits - Multimastic C - 150 mm	111
A.1.24.3	Cables, trays and conduits - Multitherm Bandage	112
A.1.25	Directly through wall - Busbars	113
A.1.25.1	Single busbar - LI 300	113
A.1.25.2	Single busbar - LI 400	115
A.1.25.3	Multiple busbars - LI 300	117
A.1.25.4	Multiple busbars - LI 400	119

Annex A.2 - Rigid walls	
A.2.1 Multimastic FB2 - 2x 60 mm - Cables, trays and conduits	121
A.2.1.1 Cables and trays - Multimastic C	121
A.2.2 Multimastic FB2 Pattro - 2x 60 mm - Cables, trays and conduits	122
A.2.2.1 Cables and trays - Multimastic C	122
A.2.3 Multimastic FB2 - 2x 60 mm - Combustible pipes	123
A.2.3.1 Plastic pipes - Multiwrap	123
A.2.4 Multimastic FB2 - 2x 60 mm - Multilayer pipes (MLC)	124
A.2.4.1 Multilayer pipes (MLC) - Stone wool LI 600 / CI	124
A.2.5 Multimastic FB2 - 2x 60 mm - Metal pipes insulated mineral wool	125
A.2.5.1 Steel pipes - Stone wool LS 400 / CS	125
A.2.5.2 Copper and steel pipes - Stone wool LI / CI	126
A.2.6 Multimastic FB2 - 1x 60 mm - Cables, trays and conduits	127
A.2.6.1 Cables - Multimastic C	127
A.2.7 Multimastic FB2 - 1x 60 mm - Metal pipes insulated mineral wool	128
A.2.7.1 Copper and steel pipes - Stone wool LI / CI	128
A.2.8 Directly through wall - Cables, trays and conduits	129
A.2.8.1 Cables, trays and conduits - Multimastic C - 150 mm	129

Annex B.1 - Rigid floors

B.1.1	Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits	130
B.1.1.1	Cables, trays and conduits - Multimastic C	130
B.1.1.2	Cables and trays - Multitherm Bandage	131
B.1.1.3	Cables and trays - Multifoam 2K	133
B.1.1.4	Single plastic conduits - Multidisc	134
B.1.1.5	Multiple plastic conduits - Multidisc	135
B.1.1.6	Single cables - Multidisc	136
B.1.1.7	Multiple cables - Multidisc	137
B.1.1.8	Multiple plastic conduits - Multisealant GR	138
B.1.2	Multimastic FB1 - 2x 50 mm cavity 50 mm - Cables, trays and conduits	139
B.1.2.1	Cables, trays and conduits - Multimastic C	139
B.1.2.2	Cables and trays - Multitherm Bandage	140
B.1.2.3	Cables and trays - Multifoam 2K	142
B.1.2.4	Single plastic conduits - Multidisc	143
B.1.2.5	Multiple plastic conduits - Multidisc	144
B.1.2.6	Single cables - Multidisc	145
B.1.2.7	Multiple cables - Multidisc	146
B.1.3	Multimastic FB2 - 1x 60 mm - Cables, trays and conduits	147
B.1.3.1	Cables, trays and conduits - Multimastic C	147
B.1.3.2	Single plastic conduits - Multidisc	148
B.1.3.3	Single cables - Multidisc	149
B.1.4	Multimastic FB1 - 2x 50 mm no cavity - Combustible pipes	150
B.1.4.1	Plastic pipes - Multicollar <i>Slim</i>	150
B.1.4.2	Plastic pipes - Multiwrap	151
B.1.4.3	Plastic pipes (Silent) - Multicollar <i>Slim</i>	152
B.1.4.4	Plastic pipes (Silent) - Multiwrap	153
B.1.4.5	PP-R Multilayer pipes - Multicollar <i>Slim</i>	154
B.1.5	Multimastic FB1 - 2x 50 mm cavity 50 mm - Combustible pipes	155
B.1.5.1	Plastic pipes - Multicollar <i>Slim</i>	155
B.1.5.2	Plastic pipes - Multiwrap	156
B.1.5.3	Plastic pipes - Multimastic SP	157
B.1.5.4	Plastic pipes - Multisealant GR	158
B.1.5.5	Plastic pipes (Silent) - Multicollar <i>Slim</i>	159
B.1.5.6	Plastic pipes (Silent) - Multiwrap	160
B.1.5.7	PP-R Multilayer pipes - Multicollar <i>Slim</i>	161
B.1.5.8	Drinks tubing system - Multicollar <i>Slim</i>	162
B.1.6	Multimastic FB2 - 1x 60 mm - Combustible pipes	163
B.1.6.1	Plastic pipes - Multicollar <i>Slim</i>	163
B.1.6.2	Plastic pipes - Multiwrap	164
B.1.7	Multimastic FB1 - 2x 50 mm no cavity - Multilayer pipes (MLC)	165
B.1.7.1	Multilayer pipes (MLC) - Multisealant GR	165
B.1.7.2	Multilayer pipes (MLC) - Elastomer LS 300 / CS - Multisealant GR	166
B.1.7.3	Multilayer pipes (MLC) - Elastomer LI 300 / CI - Multisealant GR	167
B.1.7.4	Multilayer pipes (MLC) - PE foam LS 300 / CS - Multisealant GR	168
B.1.7.5	Multilayer pipes (MLC) - Multimastic SP	170
B.1.7.6	Multilayer pipes (MLC) - Multidisc	171
B.1.8	Multimastic FB1 - 2x 50 mm cavity 50 mm - Multilayer pipes (MLC)	172
B.1.8.1	Multilayer pipes (MLC) - Multisealant GR	172
B.1.8.2	Multilayer pipes (MLC) - Elastomer LS 300 / CS - Multisealant GR	173
B.1.8.3	Multilayer pipes (MLC) - PE foam - Multisealant GR	175
B.1.8.4	Multilayer pipes (MLC) - Multimastic SP	177
B.1.8.5	Multilayer pipes (MLC) - Multidisc	178
B.1.9	Multimastic FB2 - 1x 60 mm - Multilayer pipes (MLC)	179
B.1.9.1	Multilayer pipes (MLC) - Multidisc	179
B.1.10	Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated mineral wool	180
B.1.10.1	Copper and steel pipes - Stone wool LS 400 / CS	180
B.1.10.2	Copper and steel pipes - Stone wool LI 400 / CI	181
B.1.10.3	Copper and steel pipes - Glass wool LI 400 / CI	182
B.1.11	Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes insulated mineralwool	183
B.1.11.1	Copper and steel pipes - Stone wool LS 400 / CS	183
B.1.11.2	Copper and steel pipes - Stone wool LI 400 / CI	184
B.1.11.3	Copper and steel pipes - Glass wool LI 400 / CI	185
B.1.12	Multimastic FB2 - 1x 60 mm - Metal pipes insulated mineral wool	186
B.1.12.1	Copper and steel pipes - Stone wool LS 400 / CS	186
B.1.12.2	Copper and steel pipes - Stone wool LI 400 / CI	187

B.1.13	Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated elastomer	188
B.1.13.1	Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR	188
B.1.13.2	Steel pipes - Elastomer LI 300 / CI - Multicollar <i>Slim</i>	190
B.1.13.3	Copper and steel pipes - Elastomer LS 400 / CS - Multiwrap	191
B.1.13.4	Copper and steel pipes - ArmaFlex Protect LS 400 / CS	192
B.1.14	Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes insulated elastomer	193
B.1.14.1	Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR	193
B.1.14.2	Steel pipes - Elastomer LI 300 / CI - Multicollar <i>Slim</i>	195
B.1.14.3	Steel pipes - Elastomer LS 400 / CS - Multiwrap	196
B.1.14.4	Copper and steel pipes - ArmaFlex Protect LS 400 / CS	198
B.1.15	Multimastic FB2 - 1x 60 mm - Metal pipes insulated elastomer	199
B.1.15.1	Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR	199
B.1.15.2	Steel pipes - Elastomer LS 400 / CS - Multiwrap	201
B.1.16	Multimastic FB1 - 2x 50 mm no cavity - Metal pipes uninsulated	202
B.1.16.1	Copper and steel pipes - Multimastic SP	202
B.1.16.2	Copper and steel pipes - Multisealant GR	203
B.1.16.3	Copper and steel pipes - Multidisc	204
B.1.17	Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes uninsulated	205
B.1.17.1	Copper and steel pipes - Multimastic SP	205
B.1.17.2	Copper and steel pipes - Multisealant GR	206
B.1.17.3	Copper and steel pipes - Multidisc	207
B.1.17.4	Copper and steel pipes - Multitherm Bandage	208
B.1.18	Multimastic FB2 - 1x 60 mm - Metal pipes uninsulated	209
B.1.18.1	Copper and steel pipes - Multimastic SP	209
B.1.18.2	Copper and steel pipes - Multisealant GR	210
B.1.19	Multimastic FB1 - 2x 50 mm cavity 50 mm - Gas pipes	211
B.1.19.1	Corrugated stainless steel tube gas (CSST) pipes - Multicollar - Multitherm Bandage	211
B.1.19.2	Corrugated stainless steel tube gas (CSST) pipes - Multisealant GR - Multitherm Bandage	212
B.1.20	Multimastic FB1 - 2x 50 mm no cavity - Busbars	213
B.1.20.1	Single busbar	213
B.1.20.2	Multiple busbars	215
B.1.21	Multimastic FB1 - 2x 50 mm cavity 50 mm - Busbars	217
B.1.21.1	Single busbar	217
B.1.21.2	Multiple busbars	219
B.1.22	Directly through floor - Cables, trays and conduits	221
B.1.22.1	Cables, trays and conduits - Multimastic C - 50 mm	221
B.1.22.2	Cables, trays and conduits - Multimastic C - 150 mm	222
B.1.23	Directly through floor - Busbars	223
B.1.23.1	Single busbar	223
B.1.23.2	Multiple busbars	225

Annex C - General

C.1	Flexible and rigid wall - General	227
C.1.1	Mutual distances & distance to first support	227
C.1.2	Flexible and rigid wall - Maximum seal dimensions	228
C.1.2.1	Multimastic FB1 - 2x 50 mm no aperture framing	228
C.1.2.2	Multimastic FB1 - 2x 50 mm with aperture framing	229
C.1.2.3	Maximum seal dimensions - Multimastic FB1 - 2x 50 mm - Pattress	230
C.1.2.4	Maximum seal dimensions - Multimastic FB2 - 1x 60 mm with aperture framing	231
C.1.2.5	Maximum seal dimensions - Multimastic FB2 - 1x 60 mm with aperture framing	232
C.1.2.6	Maximum seal dimensions - Multimastic FB2 - 2x 60 mm with cavity 30 mm	233
C.1.2.7	Maximum seal dimensions - Multimastic FB1 - 2x 50 mm - Pattress fixed to wall	234
C.2	Rigid floor - General	235
C.2.1	Mutual distances & distance to first support	235
C.2.2	Rigid floor - General - Maximum seal dimensions	236
C.2.2.1	Maximum seal dimensions - Multimastic FB1 - 2x 50 mm no cavity	236
C.2.2.2	Maximum seal dimensions - Multimastic FB1 - 2x 50 mm cavity 50 mm	237
C.2.2.3	Maximum seal dimensions - Multimastic FB2 - 1x 60 mm	238
C.3	Wall configurations	239
C.3.1	Allowed wall configurations	239




A.1.1

Multimastic FB1 - 2x 50 mm - Cables, trays and conduits

A.1.1.1

Cables, trays and conduits - Multimastic C - 50 mm

Front view



Services	Coating	Classification
Metal cable ladders		
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		EI 60, E 90
Cables $\leq \varnothing 80 \text{ mm}$		
Cables $\leq \varnothing 21 \text{ mm}$ in a tied bundle $\leq \varnothing 100 \text{ mm}$	Coat back 50 mm $\geq 1 \text{ mm WFT}$ Multimastic C	
Non sheathed cables $\leq \varnothing 24 \text{ mm}$		EI 45, E 90
Plastic conduits $\leq \varnothing 16 \text{ mm}$		EI 60 U/C, E 90 U/C
Copper conduits $\leq \varnothing 16 \text{ mm}$		EI 45 C/U, E 60 C/U
Steel conduits $\leq \varnothing 16 \text{ mm}$		EI 60 C/U




A.1.1

Multimastic FB1 - 2x 50 mm - Cables, trays and conduits

A.1.1.2

Cables, trays and conduits - Multimastic C - 150 mm

Front view



Drawing: PBfw E-CT-4-MFB1 2.10




Services	Coating	Classification
Metal cable ladders		EI 90, E 120
Metal (non-)perforated cable trays		EI 120
Steel wire mesh cable trays (baskets)		EI 90, E 120
Cables $\leq \varnothing$ 80 mm	Coat back 150 mm \geq 1.5 mm WFT Multimastic C	EI 60, E 120
Cables $\leq \varnothing$ 21 mm in a tied bundle $\leq \varnothing$ 100 mm		EI 120 U/C
Non sheathed cables $\leq \varnothing$ 24 mm		EI 45 C/U, E 90 C/U
Plastic conduits $\leq \varnothing$ 16 mm		EI 90 C/U
Copper conduits $\leq \varnothing$ 16 mm		
Steel conduits $\leq \varnothing$ 16 mm		

A.1.1


Multimastic FB1 - 2x 50 mm - Cables, trays and conduits

A.1.1.3




Cables and trays - Multitherm Bandage



Services	Insulation (mm)	Classification
Metal (non-)perforated cable trays	LI 150 - Multitherm Bandage either side	EI 120
Steel wire mesh cable trays (baskets)		
Cables ≤ Ø 21 mm		




A.1.1**Multimastic FB1 - 2x 50 mm - Cables, trays and conduits****A.1.1.4****Cables and trays - Multifoam 2K**

Services	Sealing (mm)	Classification
Metal (non-)perforated cable trays	Multifoam 2K / Stone ≥ 0 x 100 (w x d)	EI 120
Steel wire mesh cable trays (baskets)		
Cables ≤ Ø 21 mm	Multifoam 2K / Stone ≥ 10 x 100 (w x d)	EI 60, E 120


A.1.1**Multimastic FB1 - 2x 50 mm - Cables, trays and conduits****A.1.1.5****Single plastic conduits - Multidisc**

Drawing: PBfw.E-EP-M2.0.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Plastic conduits $\leq \varnothing 25 \text{ mm}$, with or without cables	Multidisc	$\leq \varnothing 32$	Not required	EI 90 U/U E 120 U/U


A.1.1**Multimastic FB1 - 2x 50 mm - Cables, trays and conduits****A.1.1.6****Multiple plastic conduits - Multidisc**

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Multiple plastic conduits ≤ Ø 16, up to 5 pcs. with or without cables	Multidisc	≤ Ø 32	Not required	EI 90 U/U E 120 U/U

A.1.1**Multimastic FB1 - 2x 50 mm - Cables, trays and conduits****A.1.1.7****Single plastic conduits - Multisealant GR**




Drawing: PBfw.E-EP-MFB1-G2.0.10

Services	Sealing (mm)	Classification
Plastic conduits $\leq \varnothing 19 \text{ mm}$, with or without cables	Multisealant GR $\geq 5 \times 5$ (wxd)	EI 60 U/U, E 90 U/U

A.1.1**Multimastic FB1 - 2x 50 mm - Cables, trays and conduits****A.1.1.8****Multiple plastic conduits - Multisealant GR**


Drawing: PBfw.E-EP8-G2.1.10

Services	Sealing (mm)	Classification
Plastic conduits $\leq \varnothing 25 \text{ mm}$, with or without cables max 8 pcs.	Multisealant GR $\geq 5 \times 10$ (wxd)	EI 90 U/U

A.1.1**Multimastic FB1 - 2x 50 mm - Cables, trays and conduits****A.1.1.9****Single cables - Multidisc**



Drawing: PBfw.E-EC-M2.0.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Single electrical cables $\leq \varnothing 21 \text{ mm}$	Multidisc	$\leq \varnothing 32$	Not required	EI 90

A.1.1**Multimastic FB1 - 2x 50 mm - Cables, trays and conduits****A.1.1.10****Multiple cables - Multidisc**

Drawing: PBfw.E-ECB-M2.0.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Multiple electrical / telecommunication cables max. 15 pcs., max. $\leq \varnothing 25$	Multidisc	$\leq \varnothing 32$	Not required	EI 60, E 120

A.1.2**Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Cables, trays and conduits****A.1.2.1****Cables, trays and conduits - Multimastic C**

Services	Coating	Classification
Metal cable ladders	Not required	EI 90, E 120
Metal (non)-perforated cable trays		
Steel wire mesh cable trays (baskets)		EI 60, E 120
Cables ≤ Ø 21 mm		



A.1.2

Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Cables, trays and conduits

A.1.2.2



Single plastic conduits - Multidisc

Front view



Drawing: PBPfw.E-EP-M2.0.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Plastic conduits $\leq \varnothing 19$ mm, with or without cables	Multidisc	$\leq \varnothing 32$	Not required	EI 120 U/U
Plastic conduits $\leq \varnothing 25$ mm, with or without cables				EI 90 U/U E 120 U/U

A.1.2**Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Cables, trays and conduits****A.1.2.3****Single cables - Multidisc**

Drawing: PBfw.E-EC-M2.0.10



Services	Product	Aperture (mm)	Sealing (mm)	Classification
Single electrical cables $\leq \varnothing 16 \text{ mm}$	Multidisc	$\leq \varnothing 32$	Not required	EI 60, E 90

A.1.2

Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Cables, trays and conduits

A.1.2.4

Multiple cables - Multidisc




Services	Product	Aperture (mm)	Sealing (mm)	Classification
Multiple electrical / telecommunication cables max. 15 pcs., max. $\leq \varnothing 25$	Multidisc	$\leq \varnothing 32$	Not required	EI 60, E 120

A.1.3

Multimastic FB2 - 1x 60 mm - Cables, trays and conduits

A.1.3.1

Cables, trays and conduits - Multimastic C




Services	Coating	Classification
Metal cable ladders		EI 60, E 90
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		
Cables $\leq \varnothing 80$ mm	Coat back 150 mm ≥ 1 mm WFT	EI 60
Cables $\leq \varnothing 21$ mm in a tied bundle $\leq \varnothing 100$ mm		EI 60, E 90
Non sheathed cables $\leq \varnothing 24$ mm		EI 45, E 90
Plastic conduits $\leq \varnothing 16$ mm		EI 60 U/C, E 90 U/C
Copper conduits $\leq \varnothing 16$ mm		EI 45 C/U, E 60 C/U
Steel conduits $\leq \varnothing 16$ mm		EI 60 C/U

A.1.3

Multimastic FB2 - 1x 60 mm - Cables, trays and conduits

A.1.3.2

Single plastic conduits - Multidisc



Drawing: PBfw.E-EP-M2-MFB2.1.10


Services	Product	Aperture (mm)	Sealing (mm)	Classification
Plastic conduits $\leq \phi 25\text{ mm}$, with or without cables	Multidisc	$\leq \phi 32$	Not required	EI 60 U/U, E 90 U/U

A.1.3

Multimastic FB2 - 1x 60 mm - Cables, trays and conduits

A.1.3.3

Single plastic conduits - Multisealant GR



Drawing: PBfw.E-EP-MFB2-G2.0.10




Services	Sealing (mm)	Classification
Plastic conduits $\leq \emptyset 19 \text{ mm}$, with or without cables	Multisealant GR $\geq 5 \times 5 \text{ (wxd)}$	EI 60 U/U, E 90 U/U

A.1.3

Multimastic FB2 - 1x 60 mm - Cables, trays and conduits

A.1.3.4

Single cables - Multidisc



Drawing: PBfw.E-EC-M2-MFB2.1.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Single electrical cables $\leq \varnothing 21 \text{ mm}$	Multidisc	$\leq \varnothing 32$	Not required	EI 60, E 90




A.1.3

Multimastic FB2 - 1x 60 mm - Cables, trays and conduits

A.1.3.5

Multiple cables - Multidisc

Front view






Services	System	Aperture (mm)	Sealing (mm)	Classification
Multiple electrical / telecommunication cables $\leq \varnothing 25\text{mm}$	Multidisc	$\leq \varnothing 32$	Not required	EI 45, E 90

A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.1

Plastic pipes - Multicollar Slim



Drawing: PBfw.E-MC30-PP-MFB1.2.10




Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
PE(-HD) / PE-X / ABS / SAN+PVC	$\leq \varnothing 110$	2.7 - 6.6	Multicollar Slim	Multimastic SP $0-20 \times \geq 5$ (wxd)	EI 120 U/U
PP		2.7			
PVC(-U/-C)		2.7			

A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.1

Plastic pipes - Multicollar Slim



Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
PE(-HD) / PE-X / ABS / SAN+PVC	3x ≤ Ø 110	2.7	Multicollar Slim Double	Multimastic SP 0-20 x ≥ 5 (wdx)	EI 90 U/C, E 120 U/C




A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.2

Plastic pipes perpendicular to 45° - Multicollar Slim

Front view




Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
PE(-HD) / PE-X / ABS / SAN+PVC	$\leq \varnothing 110$	2.7	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 60 U/U, E 90 U/U
PP					
PVC(-U/-C)					

A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.3

Plastic pipes - Multiwrap



Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
PE(-HD) / PE-X / ABS / SAN+PVC	≤ Ø 40	2.3 - 3.7	Multiwrap (2 layers)	EI 120 U/U
	≤ Ø 110	2.7 - 10		EI 120 U/C
PP	≤ Ø 40	2.3 - 3.7		EI 120 U/U
		5.5		EI 120 U/C
	≤ Ø 110	3.4		EI 120 U/U
PVC(-U/-C)	≤ Ø 40	1.8 - 3.7		EI 120 U/C, EI 90 U/C
	≤ Ø 110	1.6		EI 90 U/C
		1.6 - 8.1		

A.1.4**Multimastic FB1 - 2x 50 mm - Combustible pipes****A.1.4.3****Plastic pipes - Multiwrap**

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
PE(-HD) / PE / ABS / SAN+PVC	$\leq \varnothing 125$	3.9	Multiwrap (3 layers)	EI 120 U/C
		3.9 - 4.8		EI 90 U/C, E 120 U/C
		3.1		EI 120 U/C
		3.1 - 11.4		EI 90 U/C, E 120 U/C
		3.7 - 4.8		

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
PP	$\leq \varnothing 110$	10.0	Multiwrap (4 layers)	EI 120 U/U
		10.0 - 14.6		EI 90 U/U
	$\leq \varnothing 160$	14.6		EI 90 U/C
		5.0		EI 90 U/C, E 120 U/C
		5.0 - 14.6		EI 90 U/C

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
PE(-HD) / PE / ABS / SAN+PVC	$\leq \varnothing 125$	11.4	Multiwrap (5 layers)	EI 120 U/U
		9.2		




A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.4

Plastic pipes with cables - Multiwrap

Front view



Drawing: PBfw.E-PPEC-MW2-MFB1.2.10


Services	Pipe dimensions (mm)		Product	Allowed Cables	Classification
	Outer dimension	Wall thickness			
PE(-HD) / PE-X / ABS / SAN+PVC	$\leq \varnothing 110$	2.7 - 10	Multiwrap (2 layers)	Sheathed cables $\leq \varnothing 80 \text{ mm}$ (single or bundled) Cables $\leq \varnothing 21 \text{ mm}$ in a tied bundle $\leq \varnothing 100 \text{ mm}$	EI 90 U/C, E 120 U/C
PP					
PVC(-U/-C)					

A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.5

Plastic pipes - Multimastic SP



Drawing: PBfw.E-PP-MFB1.2.10

Services	Pipe dimensions (mm)		Sealing (mm)	Classification
	Outer dimension	Wall thickness		
PE-HD) / PE-X / ABS / SAN+PVC	$\leq \varnothing 32$	2.0 - 3.0	Multimastic SP $\geq 10 \times 20$ (wxd)	EI 60 U/C
PP		2.0 - 5.4		EI 90 U/C
PVC(-U/-C)		2.0 - 3.0		EI 60 U/C



A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes


A.1.4.6

Plastic pipes - Multisealant GR

Front view




Position seal:
right, left or anywhere
in between



Drawing: PBfw.E-PP-MFB1-G2.4.10

Services	Pipe dimensions (mm)		Sealing (mm)	Classification
	Outer dimension	Wall thickness		
PE(-HD) / PE-X / ABS / SAN+PVC	≤ Ø 110	2.7 - 10	Multisealant GR ≥ 15 x 20 (wxd)	EI 60 U/C
	≤ Ø 110	10		EI 120 U/C
PP	≤ Ø 110	2.7 - 10	Multisealant GR ≥ 15 x 20 (wxd)	EI 90 U/C, E 120 U/C
	≤ Ø 110	10		EI 120 U/C
PVC(-U/-C)	≤ Ø 32	1.8	Multisealant GR ≥ 10 x 20 (wxd)	EI 120 U/U
	≤ Ø 50	3		EI 60 U/U
	≤ Ø 110	2.7 - 10	Multisealant GR ≥ 15 x 20 (wxd)	EI 60 U/C
	≤ Ø 110	10		EI 120 U/C

A.1.4**Multimastic FB1 - 2x 50 mm - Combustible pipes****A.1.4.7****Plastic pipes (Silent) - Multiwrap**

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
Raupiano Plus	≤ Ø 50	1.8 - 2.7	Multiwrap (2 layers)	EI 120 U/C
	≤ Ø 110	2.7		
Geberit Silent dB20	≤ Ø 56	3.2 - 6.0	Multiwrap (2 layers)	EI 120 U/U
	≤ Ø 110	6.0		
Wavin SiTech+	≤ Ø 40	2.0	Multiwrap (2 layers)	EI 120 U/C
	≤ Ø 40	2.0 - 3.4		EI 120 U/U
	≤ Ø 50	1.8		EI 120 U/U
	≤ Ø 110	3.4		EI 120 U/C
Poloplast PoloKal NG	≤ Ø 50	2.0		

A.1.4**Multimastic FB1 - 2x 50 mm - Combustible pipes****A.1.4.7****Plastic pipes (Silent) - Multiwrap**

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
Raupiano Plus	≤ Ø 110	2.7	Multiwrap (4 layers)	EI 120 U/U
	≤ Ø 160	4.0		EI 90 U/C, E 120 U/C
Poloplast PoloKal NG	≤ Ø 110	3.4		EI 120 U/C




Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
Raupiano Plus	≤ Ø 160	3.9	Multiwrap (6 layers)	EI 120 U/U
Poloplast PoloKal NG	≤ Ø 160	4.9		EI 90 U/C, E 120 U/C

A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.8




PP-R multilayer pipes - Multicollar Slim



Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Aquatherm Green	≤ Ø 50	6.9	Multicollar Slim	Multimastic SP ≥ 0-20 x 10 (wxd)	EI 120 U/C

A.1.4**Multimastic FB1 - 2x 50 mm - Combustible pipes****A.1.4.9****PP-R multilayer pipes - Multiwrap**

Front view



Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
Aquatherm Blue	≤ Ø 40	3.7	Multiwrap (2 layers)	EI 120 U/C
	≤ Ø 50	4.6		EI 120 U/U
	≤ Ø 110	10		EI 120 U/C




A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.10

PP-R multilayer pipes - With or without Elastomer CS - Multisealant GR

Front view



Drawing: PBfw.E-MLF2-MFB-G2.17.40




Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
PP-R Multilayer pipes	$\leq \varnothing 90$	8.2	ThermaFlex (min. class B-s1, d0 B ₁ -s1, d0)	≥ 25	CS	Multisealant GR $\geq 15 \times 100 \text{ mm}$ (wxd)	EI 60 U/C
	$\leq \varnothing 90$	8.2	-	-	-		EI 60 U/C, E 90 U/C

A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.11

PP-R multilayer pipes - Elastomer LI 300 / CI - Multicollar Slim



Drawing: PBfw.E-MLF-MC30-10.0.22

Services	Pipe dimensions (mm)		Insulation			Product	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Aquatherm Green	≤ Ø 50	6.9	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	9 - 32	LI 300 / CI	Multicollar Slim	EI 120 U/C




A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.12

Beverage dispense tubing - Multicollar Slim

Front view



Services	Dimensions (mm)		Insulation			Product	Sealing (mm)	Classification
	Outer dimension	Hoses no.	Type	Thickness (mm)	Configuration			
Drinks tubing system	≤ Ø 47	≤ 3	Elastomeric foam	8 - 35	CS	Mulcol® Multicollar Slim	Multimastic SP ≥ 0-20 x 5 (wxd)	EI 60 U/C




A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.13

Beverage dispense tubing - Multicollar Slim

Front view






Services	Dimensions (mm)		Insulation			Product	Sealing (mm)	Classification
	Outer dimension	Hoses no.	Type	Thickness (mm)	Configuration			
Drinks tubing system	≤ Ø 145	≤ 52	Elastomeric foam	8 - 35	CS	Multicollar Slim	Multimastic SP ≥ 0-20 x 5 (wxd)	EI 60 U/C

A.1.4

Multimastic FB1 - 2x 50 mm - Combustible pipes

A.1.4.14

Rectangular duct - Multicollar Slim



Drawing: PBfw.E-AD-MFB1.2.10




Services	Duct dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Rectangular plastic duct	$\leq 220 \times 90$	1.0	Multicollar Slim	$\geq 0-20 \times 5$ (wdx)	EI 45 U/C
		2.0			EI 120 U/C

A.1.5

Multimastic FB2 - 1x 60 mm - Combustible pipes

A.1.5.1

Plastic pipes - Multicollar Slim



Drawing: PBfw.E-PP-MFB2.1.10




Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
PE(-HD) / PE-X / ABS / SAN+PVC	$\leq \varnothing 110$	2.7	Multicollar Slim	Multimastic SP $\geq 0-20 \times 10 \text{ (wxd)}$	EI 120 U/U
PVC(-U-C)					

A.1.5

Multimastic FB2 - 1x 60 mm - Combustible pipes

A.1.5.2

Flexible plastic hoses with cables - Multicollar Slim



Drawing: PBfw.E-ECH4-MC30-MFB2.1.30




Services	Number of sleeves	Product	Sealing (mm)	Classification
Ribbed PE-sleeve conduit ≤ Ø 63 mm, with or without cables	≤ 4	Multicollar Slim	Multimastic SP 0-20 x ≥ 10 (vxd)	EI 90 U/C, E 120 U/C

A.1.6




Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.1

Multilayer pipes (MLC) - Multicollar Slim



Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Multilayer pipes (MLC)	≤ Ø 20	2.0	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 U/C
	≤ Ø 25	3.5			
	≤ Ø 32	3.0			
	≤ Ø 40	3.5			
	≤ Ø 40	4.0			
	≤ Ø 50	4.0			EI 90 U/C, E 120 U/C
	≤ Ø 63	4.5			

A.1.6**Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)****A.1.6.1****Multilayer pipes (MLC) - Multicollar Slim**


Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Multilayer pipes (MLC)	$\leq \emptyset 75$	6.0	Multicollar Slim Double	Multimastic SP 0-20 x ≥ 5 (wxo)	EI 90 U/C, E 120 U/C

A.1.6

Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.2

Multilayer pipes (MLC) - Multisealant GR



Services	Pipe dimensions (mm)		Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness			
Multilayer pipes (MLC)	≤ Ø 20	2.0	Multisealant GR ≥ 15 x 20 (wxd)	Stone wool (≥ 35 kg/m³)	EI 120 U/C
	≤ Ø 32	3.0			
	≤ Ø 40	3.5 - 4.0			



A.1.6

Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)


A.1.6.3

Multilayer pipes (MLC) - Conduit - Multisealant GR

Front view



Position seal:
right left or anywhere
in between



Drawing: PBfw.E-MLA-MFB1.2.30


Services	Pipe dimensions (mm)		Conduit			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Outer dimension (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 32	3.0	PE-conduit ribbed	≤ Ø 40	LS 50 / CS	Multisealant GR 0-20 x ≥ 10 (wxd)	EI 60 U/C

A.1.6

Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.4

Multilayer pipes (MLC) - Stone wool LS 400 / CS



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 32	3.0 to 6.0	Stone wool (≥ 80 kg/m³)	≥ 25	LS 400 / CS	Multimastic SP 0-20 x ≥ 10 (wdx)	EI 60 U/C
	≤ Ø 75	6.0					E 90 U/C
							EI 90 U/C




A.1.6

Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.5

Multilayer pipes (MLC) - Stone wool LI 400 / CI

Front view



Drawing: PBfw.E-MLA-MFB1.2.20.LI




Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thick-ness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 40	3.5	Stone wool ($\geq 80 \text{ kg/m}^3$)	≥ 25	LI 400 / CI	Multimastic SP 0-20 x ≥ 10 (wxd)	El 90 U/C

A.1.6

Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.6

Multilayer pipes (MLC) - Elastomer LS 400 / CS - Multisealant GR






Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 20	2.0	ArmaFlex AF (min. class B-s3, d0 BL-s3, d0)	9 - 32	LS 300 / CS LI 300 / CI	Multisealant GR ≥ 15 x 20 mm (wdx)	EI 90 U/C E 120 U/C
	≤ Ø 32	3.0					
	≤ Ø 40	3.5					
	≤ Ø 50	4.0					
	≤ Ø 63	4.5					
	≤ Ø 75	6.0					EI 90 U/C E 120 U/C

A.1.6




Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.7

Multilayer pipes (MLC) - Elastomer LI 300 / CI - Multicollar Slim



Services	Pipe dimensions (mm)		Insulation			Product	Sealing (mm)	Backing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration				
Multilayer pipes (MLC)	≤ Ø 50	4.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	9 - 32	LI 300 / CI	Multicollar Slim	Multimastic SP 0-20 x ≥ 10 (wxd)	25 mm stone wool (≥ 33kg/m ³)	EI 120 U/C

A.1.6**Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)****A.1.6.8****Multilayer pipes (MLC) - ArmaFlex Protect LS 400 / CS - Multimastic SP**Front view




Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	$\leq \varnothing 26$	3.0	ArmaFlex Protect	20	LS 400 / CS	Multimastic SP $10 \times \geq 10 \text{ (wxd)}$	EI 120 U/C
	$\leq \varnothing 75$	5.0		25			

A.1.6

Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.9

Multilayer pipes (MLC) - Phenolic foam LS 400 / CS - Multicollar Slim






Services	Pipe dimensions (mm)		Insulation			Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Multilayer pipes (MLC)	≤ Ø 20	2.0	Kingspan Kooltherm	15 - 40	LS 400 / CS	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wdx)	EI 60 U/C
	≤ Ø 40	3.5						
	≤ Ø 63	4.5						

A.1.6

Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.10

Multiple Multilayer pipes (MLC) - PE foam - Multicollar Slim



Drawing: PBfw.E-MC30-MLP2-10.0.2


Services	Pipe dimensions (mm)		Number of pipes	Insulation			Product	Sealing	Classification
	Outer dimension	Wall thickness		Type	Thickness (mm)	Configuration			
Multilayer pipes (MLC)	$\leq \varnothing 15$	2.0	≤ 12	PE foam	6	LS 400 / CS LI 400 / CI	Mulco® Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wxd)	El 120 U/C

A.1.6

Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.11

Multilayer pipes (MLC) - PE foam - Multisealant GR






Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 32	2.0 - 3.0	PE Foam	≤ 6	LS 300 / CS LI 300 / CI	Multisealant GR ≥ 15 x 20 (wxd)	EI 120 U/C

A.1.6




Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)

A.1.6.12

Multilayer pipes (MLC) - Multidisc





Services	Pipe dimensions (mm)		Aperture (mm)	Product	Sealing (mm)	Classification
	Outer diameter	Wall thickness				
Multilayer pipes (MLC)	$\leq \varnothing 16$	2.0	$\leq \varnothing 32$	Multidisc	Not required	EI 90 U/C E 120 U/C

A.1.6**Multimastic FB1 - 2x 50 mm - Multilayer pipes (MLC)****A.1.6.13****Multilayer pipes (MLC) - Multitherm Bandage**

Services	Pipe dimensions (mm)		Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness			
Multilayer pipes (MLC)	$\leq \varnothing 16$	2.0	Multimastic SP 0-20 x ≥ 10 (wxd)	LI 150 two layers	EI 120 U/C
	$\leq \varnothing 25$	3.5			
	$\leq \varnothing 26$	3.0			

A.1.7 Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Multilayer pipes (MLC)




A.1.7.1 Multilayer pipes (MLC) - Multidisc



Services	Pipe dimensions (mm)		Aperture (mm)	Product	Sealing (mm)	Classification
	Outer diameter	Wall thickness				
Multilayer pipes (MLC)	≤ Ø 16	2.0	≤ Ø 32	Multidisc	Not required	EI 60 U/C E 120 U/C

A.1.8**Multimastic FB2 - 1x 60 mm - Multilayer pipes (MLC)****A.1.8.1****Multilayer pipes (MLC) - Multidisc**

Front view




Services	Pipe dimensions (mm)		Aperture (mm)	Product	Sealing (mm)	Classification
	Outer diameter	Wall thickness				
Multilayer pipes (MLC)	$\leq \varnothing 16$	2.0	$\leq \varnothing 32$	Multidisc	Not required	EI 45 U/C E 120 U/C

A.1.8




Multimastic FB2 - 1x 60 mm - Multilayer pipes (MLC)

A.1.8.2

Multilayer pipes (MLC) - Stone wool LI 400 / CI



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 40	3.5	Stone wool ($\geq 80 \text{ kg/m}^3$)	≥ 25	LI 400 / CI	Multimastic SP 0-10 x ≥ 10 (wxd)	EI 45 U/C E 60 U/C

A.1.9**Multimastic FB1 - 2x 50 mm - Metal pipes insulated mineral wool****A.1.9.1****Copper and steel pipes - Stone wool LS 400 / CS**Front view

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification		
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration				
Copper / (stainless) steel / cast iron	$\leq \varnothing 22$	≥ 1.0	Stone wool ($\geq 80 \text{ kg/m}^3$)	25	LS 400 / CS	Multimastic SP 0-20 x ≥ 10 (wxd)	EI 120 C/U		
	$\leq \varnothing 54$	≥ 1.5							
(Stainless) Steel / cast iron	$\leq \varnothing 12$	≥ 1.5							
	$\leq \varnothing 114.3$	≥ 3.6		30	CS				
	$\leq \varnothing 219.1$	≥ 4.0							
	$\leq \varnothing 324$	≥ 3.7							




A.1.9

Multimastic FB1 - 2x 50 mm - Metal pipes insulated mineral wool

A.1.9.2

Copper and steel pipes - Stone wool LI 400 / CI

Front view



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m ³)	≥ 25	LI 400 / CI	Multimastic SP 0-20 x ≥ 10 (wxd)	EI 120 C/U
	≤ Ø 54	≥ 1.5					
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6					
	≤ Ø 324	≥ 3.7					




A.1.9

Multimastic FB1 - 2x 50 mm - Metal pipes insulated mineral wool

A.1.9.3

Steel pipes - Glass wool LS 400 / CS - Multicollar Slim

Front view





Drawing: PBfw.E-ST-MC30-MFB1 2 20

Services	Pipe dimensions (mm)		Insulation			Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
(Stainless) Steel / cast iron	≤ Ø 76.2	≥ 3.3	Glass wool (≥ 33 kg/m³)	30	LS 400 / CS	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wdx)	EI 90 C/U E 120 C/U
	≤ Ø 139.7	≥ 4.0		50				EI 60 C/U E 90 C/U

A.1.10 Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Metal pipes insulated mineral wool



A.1.10.1 Copper and steel pipes - Stone wool LS 400 / CS



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m ³)	25	LS 400 / CS	Multimastic SP 0-20 x ≥ 10 (wxd)	EI 120 C/U
	≤ Ø 54	≥ 1.5					
(Stainless) Steel / cast iron	≤ Ø 12	≥ 1.5					EI 60 C/U
	≤ Ø 114.3	≥ 3.6					EI 60 C/U, E 120 C/U
	≤ Ø 219.1	≥ 4.0					EI 90 C/U, E 120 C/U
	≤ Ø 324	≥ 3.7					

A.1.10 Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Metal pipes insulated mineral wool

A.1.10.2 Copper and steel pipes - Stone wool LI 400 / CI






Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m ³)	≥ 25	LI 400 / CI	Multimastic SP 0-20 x ≥ 10 (wdx)	EI 120 C/U
	≤ Ø 54	≥ 1.5					
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6					
	≤ Ø 324	≥ 3.7					

A.1.11

Multimastic FB2 - 1x 60 mm - Metal pipes insulated mineral wool

A.1.11.1




Copper and steel pipes - Stone wool LS 400 / CSFront view

Drawing: PBfw.E-CU-MFB2.1.20.LS



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	$\leq \varnothing 22$	≥ 1.0	Stone wool ($\geq 80 \text{ kg/m}^3$)	25	LS 400 / CS	Multimastic SP 0-20 x ≥ 10 (wxd)	EI 60 C/U E 90 C/U
	$\leq \varnothing 54$	≥ 1.5					EI 90 C/U E 120 C/U
(Stainless) Steel / cast iron	$\leq \varnothing 12$	≥ 1.5		30			EI 60 C/U
	$\leq \varnothing 114.3$	≥ 3.6					
	$\leq \varnothing 324$	≥ 3.7					

A.1.11**Multimastic FB2 - 1x 60 mm - Metal pipes insulated mineral wool****A.1.11.2****Copper and steel pipes - Stone wool LI 400 / CI**


Front view



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m ³)	≥ 25	LI 400 / CI	Multimastic SP 0-20 x ≥ 10 (wxd)	EI 60 C/U
	≤ Ø 54	≥ 1.5					
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6					

A.1.12
Multimastic FB1 - 2x 50 mm - Metal pipes insulated elastomer
A.1.12.1
Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR
Front view


Position seal:
right, left or anywhere
in between



Drawing: PBfw.E-CU-MFB1-G2.4.22

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification		
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration				
Copper / (stainless) steel / cast iron	$\leq \varnothing 22$	≥ 1.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	8.5	LS 400 / CS	Multisealant GR $\geq 10 \times 20 \text{ (wxd)}$	EI 90 C/U, E 120 C/U		
				8.5 - 38			EI 90 C/U		
	$\leq \varnothing 54$	≥ 1.5		13.5 - 38			EI 30 C/U, E 90 C/U		
				13.5	CS		EI 90 C/U		
				13.5 - 38			EI 60 C/U, E 90 C/U		
				38			EI 90 C/U		
(Stainless) Steel / cast iron	$\leq \varnothing 26.9$	≥ 2.3		8.5	LS 400 / CS		EI 90 C/U, E 120 C/U		
				8.5 - 38			EI 90 C/U		
	$\leq \varnothing 114.3$	≥ 3.6		15 - 43			EI 45 C/U, E 90 C/U		
				43			EI 60 C/U, E 90 C/U		

A.1.12**Multimastic FB1 - 2x 50 mm - Metal pipes insulated elastomer****A.1.12.1****Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR**


Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	Kaiflex KK Plus (min. class B-s2, d0 B _L -s2, d0)	8.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	EI 120 C/U

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification		
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration				
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex NH (min. class D-s3, d0 D _L -s3, d0)	9	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	EI 90 C/U		
				9 - 25			EI 60 C/U		
				13			EI 45 C/U, E 90 C/U		
				13	CS		EI 60 C/U, E 90 C/U		
	≤ Ø 54	≥ 1.5		13 - 25	LS 400 / CS		EI 45 C/U		
				9			EI 90 C/U, E 120 C/U		
				9 - 25			EI 60 C/U, E 90 C/U		
				19 - 25			EI 45 C/U		
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		25			EI 60 C/U, E 90 C/U		
				≤ Ø 114.3					
				≥ 3.6					
				≥ 3.6					

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification	
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Ultima (min. class B-s1, d0 B _L -s1, d0)	9 - 32	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	EI 60 C/U, E 120 C/U	
				32			EI 90 C/U	
				13			EI 60 C/U, E 120 C/U	
				13 - 32			EI 60 C/U, E 90 C/U	
	≤ Ø 54	≥ 1.5		32			EI 90 C/U	
				9			EI 120 C/U	
				9 - 32			EI 90 C/U, E 120 C/U	
				13			EI 90 C/U	
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		13 - 32			EI 60 C/U, E 120 C/U	
				≤ Ø 114.3				
				≥ 3.6				
				≥ 3.6				

A.1.12 Multimastic FB1 - 2x 50 mm - Metal pipes insulated elastomer

A.1.12.2 Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR - Multitherm Bandage



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Multitherm Bandage	Classification			
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration						
Copper / (stainless) steel / cast iron	$\leq \varnothing 22$	≥ 1.0	ArmaFlex AF (min. class B-s3, d0 B_L -s3, d0)	8.5	LS 400 / CS	Multisealant GR $\geq 10 \times 20$ (wxd)	LI ≥ 75 one layer (one wire)	EI 90 C/U, E 120 C/U			
				8.5 - 38				EI 90 C/U			
	$\leq \varnothing 54$	≥ 1.5		13.5 - 38				EI 30 C/U, E 90 C/U			
				13.5 - 38	CS			EI 60 C/U, E 90 C/U			
				38	LS 400 / CS			EI 90 C/U			
				8.5				EI 90 C/U, E 120 C/U			
(Stainless) Steel / cast iron	$\leq \varnothing 26.9$	≥ 2.3		8.5 - 38				EI 90 C/U			
				18.5				EI 90 C/U, E 120 C/U			
				18.5 - 43				EI 90 C/U			
	$\leq \varnothing 114.3$	≥ 3.6						EI 90 C/U			

A.1.12 Multimastic FB1 - 2x 50 mm - Metal pipes insulated elastomer

A.1.12.2 Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR - Multitherm Bandage

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 54	≥ 1.5	Kaiflex KK Plus (min. class B-s2, d0 B _L -s2, d0)	13.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	LI ≥ 75 one layer (two wires)	EI 120 C/U
				13.5 - 35.5			LI ≥ 150 one layer (two wires)	EI 90 C/U, E 120 C/U
				8.5			LI ≥ 75 one layer (two wires)	EI 120 C/U
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	ArmaFlex NH (min. class D-s3, d0 D _L -s3, d0)	8.5 - 35.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	LI ≥ 150 one layer (two wires)	EI 90 C/U, E 120 C/U
	≤ Ø 114.3	≥ 3.6		15 - 35.5			LI ≥ 75 one layer (two wires)	EI 90 C/U, E 120 C/U
				35.5 - 40				EI 120 C/U

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Multitherm Bandage	Classification		
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration					
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex NH (min. class D-s3, d0 D _L -s3, d0)	9	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	LI ≥ 75 one layer (two wires)	EI 90 C/U		
	≤ Ø 54	≥ 1.5		9 - 25				EI 60 C/U		
				13				EI 45 C/U, E 90 C/U		
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	ArmaFlex Ultima (min. class B-s1, d0 B _L -s1, d0)	13	CS	LS 400 / CS	LI ≥ 75 one layer (two wires)	EI 60 C/U, E 90 C/U		
	≤ Ø 114.3	≥ 3.6		13 - 25	LS 400 / CS			EI 45 C/U		
				9				EI 90 C/U, E 120 C/U		
				9 - 25				EI 60 C/U, E 90 C/U		
				19 - 25				EI 45 C/U		
				25				EI 60 C/U, E 90 C/U		


Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Ultima (min. class B-s1, d0 B _L -s1, d0)	9 - 32	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	LI ≥ 75 one layer (two wires)	EI 90 C/U, E 120 C/U
	≤ Ø 54	≥ 1.5		32			LI ≥ 150 one layer (two wires)	EI 90 C/U
				13			LI ≥ 120 C/U	EI 90 C/U
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	ArmaFlex Ultima (min. class B-s1, d0 B _L -s1, d0)	13 - 32	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	LI ≥ 75 one layer (two wires)	EI 120 C/U
	≤ Ø 114.3	≥ 3.6		9			LI ≥ 90 C/U	EI 90 C/U, E 120 C/U
				9 - 32			LI ≥ 75 one layer (two wires)	EI 90 C/U
				13 - 32			LI ≥ 150 one layer (two wires)	EI 90 C/U
				32				EI 90 C/U, E 120 C/U

A.1.12

Multimastic FB1 - 2x 50 mm - Metal pipes insulated elastomer

A.1.12.3

Copper and steel pipes - Elastomer LS 400 / CS - Multiwrap



Drawing: PBfw.E-CU-MW2-MFB1.2.22

Services	Pipe dimensions (mm)		Insulation			Product	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	$\leq \varnothing 12$	≥ 1.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	9	LS 400 / CS	Multiwrap (2 layers)	EI 120 C/U, E 180 C/U
	$\leq \varnothing 35$	≥ 1.1		35			EI 90 C/U, E 120 C/U
	$\leq \varnothing 54$	≥ 1.5		60		Multiwrap (3 layers)	EI 120 C/U
(Stainless) Steel / cast iron	$\leq \varnothing 114.3$	≥ 3.6	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	38	LS 400 / CS	Multiwrap (2 layers)	EI 90 C/U, E 120 C/U
	$\leq \varnothing 219.1$	≥ 4.0		15			EI 60 C/U, E 120 C/U
	$\leq \varnothing 324$	≥ 3.7		32		CS	EI 45 C/U, E 120 C/U
				50	CS	Multiwrap (3 layers)	EI 120 C/U
							EI 60 C/U, E 120 C/U
						EI 45 C/U, E 180 C/U	EI 45 C/U, E 180 C/U
							EI 90 C/U, E 180 C/U

A.1.12**Multimastic FB1 - 2x 50 mm - Metal pipes insulated elastomer****A.1.12.3****Copper and steel pipes - Elastomer LS 400 / CS - Multiwrap**

Services	Pipe dimensions (mm)		Insulation			Product	Classification	
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	$\leq \varnothing 22$	≥ 1.0	Kaiflex ST (min. class B-s3, d0 B_L -s3, d0)	9 - 32	LS 400 / CS	Multiwrap (2 layers)	EI 90 C/U, E 120 C/U	
				32			EI 120 C/U	
	$\leq \varnothing 54$	≥ 1.5		13 - 32			EI 30 C/U, E 120 C/U	
				32			EI 60 C/U, E 120 C/U	
	$\leq \varnothing 114.3$	≥ 3.6		13			EI 60 C/U, E 120 C/U	
				13 - 32			EI 45 C/U, E 120 C/U	
	$\leq \varnothing 168.3$	≥ 4.5		32			EI 60 C/U, E 120 C/U	



A.1.12

Multimastic FB1 - 2x 50 mm - Metal pipes insulated elastomer


A.1.12.4

Copper and steel pipes - ArmaFlex Protect LS 400 / CS

Front view





Position seal:
right left or anywhere
in between



Drawing: PBfw.E-CU-MFB1.2.10

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Protect	20 - 25	LS 400 / CS	Multimastic SP 10 x ≥ 10 (wxd)	EI 120 C/U
	≤ Ø 54	≥ 1.5		25			EI 90 C/U, E 120 C/U

A.1.13**Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Metal pipes insulated elastomer****A.1.13.1****Copper and steel pipes - Elastomer LS400 / CS - Multiwrap**



Services	Pipe dimensions (mm)		Insulation			Product	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	$\leq \varnothing 54$	≥ 1.5	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	38	LS 400 / CS	Multiwrap (2 layers)	EI 60 C/U, E 120 C/U

A.1.13

Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Metal pipes insulated elastomer

A.1.13.2

Copper and steel pipes - ArmaFlex Protect LS 400 / CS



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Protect	20 - 25	LS 400 / CS	Multimastic SP 10 x ≥ 10 (wxd)	EI 120 U/C
	≤ Ø 54	≥ 1.5		25			EI 90 C/U, E 120 C/U




A.1.14

Multimastic FB2 - 1x 60 mm - Metal pipes insulated elastomer

A.1.14.1

Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR

Front view



Services	Pipe dimensions (mm)		Insulation			System (mm)	Classification	
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	8.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	EI 60 C/U, E 90 C/U	
	≤ Ø 54	≥ 1.5		8.5 - 33.5			EI 60 C/U, E 120 C/U	
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		13.5 - 38			EI 45 C/U, E 60 C/U	
	≤ Ø 114.3	≥ 3.6		8.5 - 43			EI 60 C/U	
				15 - 43			EI 45 C/U, E 60 C/U	
				15 - 43	CS		EI 60 C/U	
				43	LS 400 / CS		EI 60 C/U	

A.1.14**Multimastic FB2 - 1x 60 mm - Metal pipes insulated elastomer****A.1.14.1****Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR**

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification	
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Kaiflex KK Plus (min. class B-s2, d0 B _L -s2, d0)	35.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	EI 45 C/U / E 90 C/U	
	≤ Ø 54	≥ 1.5		35.5			EI 45 C/U / E 90 C/U	
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		8.5			EI 90 C/U / E 120 C/U	
				8.5 - 40			EI 45 C/U / E 120 C/U	
	≤ Ø 114.3	≥ 3.6		15 - 40			EI 45 C/U / E 90 C/U	




Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification		
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration				
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex NH (min. class D-s3, d0 D _L -S3, d0)	9 - 25	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	EI 30 C/U, E 60 C/U		
				9 - 25	CS		EI 60 C/U		
	≤ Ø 54	≥ 1.5		25	LS 400 / CS		EI 60 C/U		
				13			EI 45 C/U, E 120 C/U		
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		13	CS	LS 400 / CS	EI 60 C/U, E 120 C/U		
				13 - 25	EI 45 C/U, E 60 C/U				
	≤ Ø 114.3	≥ 3.6		9	LS 400 / CS		EI 60 C/U, E 120 C/U		
				9 - 25			EI 60 C/U		
				13 - 25			EI 60 C/U		

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification	
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Ultima (min. class B-s1, d0 B _L -S1, d0)	9 - 25	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	EI 45 C/U, E 120 C/U	
				25			EI 60 C/U, E 120 C/U	
(Stainless) Steel / cast iron	≤ Ø 54	≥ 1.5		13 - 32			EI 45 C/U, E 90 C/U	
				32			EI 60 C/U, E 90 C/U	
	≤ Ø 26.9	≥ 2.3		9 - 32			EI 60 C/U, E 90 C/U	
				32			EI 60 C/U, E 120 C/U	
				13 - 32			EI 90 C/U, E 120 C/U	

A.1.14 Multimastic FB2 - 1x 60 mm - Metal pipes insulated elastomer

A.1.14.2 Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR - Multitherm Bandage

Front view



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	8.5 - 33.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	LI ≥ 75 one layer (one wire)	EI 60 C/U
	≤ Ø 54	≥ 1.5		17 - 43				
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		8.5 - 43				
	≤ Ø 114.3	≥ 3.6		15 - 43				


A.1.14 Multimastic FB2 - 1x 60 mm - Metal pipes insulated elastomer

A.1.14.2 Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR - Multitherm Bandage

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configura-tion			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Kaiflex KK Plus (min. class B-s2, d0 B _L -s2, d0)	9 - 35.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	LI ≥ 75 one layer (one wire)	EI 60 C/U
	≤ Ø 54	≥ 1.5		21 - 35.5				
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		8.5 - 35.5				
	≤ Ø 114.3	≥ 3.6		15 - 40				


Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configura-tion			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex NH (min. class D-s3, d0 D _L -S3, d0)	9 - 25	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	LI ≥ 75 one layer (one wire)	EI 60 C/U
	≤ Ø 54	≥ 1.5		13 - 25				
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		9 - 25				
	≤ Ø 114.3	≥ 3.6		13 - 25				

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configura-tion			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Ultima (min. class B-s1, d0 B _L -S1, d0)	13 - 32	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	LI ≥ 75 one layer (one wire)	EI 60 C/U
	≤ Ø 54	≥ 1.5		13 - 32				
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		9 - 32				
	≤ Ø 114.3	≥ 3.6		13 - 32				




A.1.15**Multimastic FB1 - 2x 50 mm - Metal pipes insulated phenolic foam****A.1.15.1****Steel pipes - Phenolic foam LS 400 / CS - Multisealant GR**

Drawing: PBfw.E-ST-MFB1-G2.4.27




Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
(Stainless) Steel / cast iron	$\leq \varnothing 26.9$	≥ 2.3	Kingspan Kooltherm	15 - 45	LS 400 / CS	Multisealant GR $\geq 15 \times 20$ (wxd)	EI 60 C/U
	$\leq \varnothing 114.3$	≥ 3.6		20 - 45			

A.1.16**Multimastic FB1 - 2x 50 mm - Metal pipes insulated PIR foam****A.1.16.1****Copper and steel pipes - PIR foam LS 400 / CS - Multisealant GR**

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	PIR (min. class E)	20 - 40		LS 400 / CS	Multisealant GR ≥ 15 x 20 (wdx)
	≤ Ø 54	≥ 1.5		25 - 40			
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6					EI 60 C/U

A.1.17**Multimastic FB1 - 2x 50 mm - Metal pipes uninsulated****A.1.17.1****Copper and steel pipes - Multimastic SP**Front view

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 15	≥ 1.0	Multimastic SP	1.5 WFT	LI 200	Multimastic SP 0-20 x ≥ 10 (wxd)	EI 60 C/U E 120 C/U
(Stainless) Steel / cast iron	≤ Ø 16	≥ 1.0					EI 90 C/U
	≤ Ø 26.9	≥ 2.6					EI 90 C/U
	≤ Ø 42.4	≥ 3.2					E 120 C/U
	≤ Ø 60.3	≥ 3.6					EI 60 C/U E 120 C/U

A.1.17**Multimastic FB1 - 2x 50 mm - Metal pipes uninsulated****A.1.17.2****Steel pipes - Multisealant GR**Front view




Services	Pipe dimensions (mm)		Coating	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
(Stainless) Steel / cast iron	$\leq \varnothing 26.9$	≥ 2.6	Coat back 200 mm $\geq 1.5 \text{ mm WFT}$ Multisealant GR	Multisealant GR 0-20 x ≥ 10 (wxd)	EI 90 C/U, E 120 C/U
	$\leq \varnothing 60.3$	≥ 3.6			

A.1.17



Multimastic FB1 - 2x 50 mm - Metal pipes uninsulated

A.1.17.3



Copper and steel pipes - Multidisc





Services	Pipe dimensions (mm)		Product	Aperture (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness				
Copper / (stainless) steel / cast iron	$\leq \varnothing 15$	≥ 1.0	Multidisc	$\leq \varnothing 32$	Not required	EI 45 C/U, E 120 C/U
(Stainless) Steel / cast iron	$\leq \varnothing 17.2$					EI 90 C/U

A.1.17**Multimastic FB1 - 2x 50 mm - Metal pipes uninsulated****A.1.17.4****Copper and steel pipes - Multitherm Bandage**

Services	Pipe dimensions (mm)		Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Multimastic SP 0-20 x ≥ 10 (wxd)	LI 150 two layers (two wires)	EI 30 C/U, E 120 C/U
	≤ Ø 15	≥ 1.0		LI 150 two layers (two wires) +	EI 60 C/U, E 120 C/U
	≤ Ø 54	≥ 1.5		LI 300 one layer (two wires)	EI 45 C/U, E 120 C/U
	≤ Ø 88.9	≥ 2.0			EI 30 C/U, E 120 C/U

A.1.18**Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Metal pipes uninsulated****A.1.18.1****Copper and steel pipes - Multidisc**




Services	Pipe dimensions (mm)		Product	Aperture (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness				
Copper / (stainless) steel / cast iron	≤ Ø 15	≥ 1.0	Multidisc	≤ Ø 32	Not required	EI 45 C/U, E 120 C/U
(Stainless) Steel / cast iron	≤ Ø 17.2					EI 90 C/U

A.1.18**Multimastic FB1 Pattress fixed to wall - 2x 50 mm - Metal pipes uninsulated****A.1.18.2****Copper and steel pipes - Multitherm Bandage**

Services	Pipe dimensions (mm)		Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Multimastic SP 0-20 x ≥ 10 (wxd)	LI 150 two layers (two wires)	EI 120 C/U
	≤ Ø 15	≥ 1.5		LI 150 two layers (two wires) +	EI 45 C/U, E 120 C/U
	≤ Ø 54	≥ 2.0		LI 300 one layer (two wires)	EI 30 C/U, E 120 C/U

A.1.19**Multimastic FB2 - 1x 60 mm - Metal pipes uninsulated****A.1.19.1****Copper and steel pipes - Multimastic SP**




Front view



Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	$\leq \varnothing 15$	≥ 1.0	Multimastic SP	1.5 WFT	LI 200	Multimastic SP 0-20 x ≥ 10 (wxd)	EI 30 C/U E 120 C/U
(Stainless) Steel / cast iron	$\leq \varnothing 26.9$	≥ 2.6					EI 60 C/U E 120 C/U
	$\leq \varnothing 42.4$	≥ 3.2					
	$\leq \varnothing 60.3$	≥ 3.6					

A.1.19**Multimastic FB2 - 1x 60 mm - Metal pipes uninsulated****A.1.19.2****Steel pipes - Multisealant GR**


Front view




Services	Pipe dimensions (mm)		Coating	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.6	Coat back 200 mm ≥ 1.5 mm WFT Multisealant GR	Multisealant GR 0-20 x ≥ 10 (wxd)	EI 60 C/U, EI 120 C/U
	≤ Ø 60.3	≥ 3.6			

A.1.20 Multimastic FB1 - 2x 50 mm - Busbars

A.1.20.1 Single busbar - LI 300



Side view




Drawing: PBfw.E-1BB-MFB1.2.10

Services	Service dimensions		Insulation			Classification
	Outside	Conductor	Type	Thickness (mm)	Configuration	
Single busbar	≤ 150 x 250 mm	max. 6 x ≤ 200 mm width (per busbar)	Multimastic FB1	50	LI 300 / CI	EI 60


A.1.20 Multimastic FB1 - 2x 50 mm - Busbars

A.1.20.1 Single busbar - LI 300



Position seal:
right left or anywhere
in between


Front view



Drawing: PBfw.E-1BB-MFB1.2.10


A.1.20 Multimastic FB1 - 2x 50 mm - Busbars

A.1.20.2 Single busbar - LI 400



Position seal:
right, left or anywhere
in between

Side view




Drawing: PBfw.E-1BB-MFB1.2.10

Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductor	Type	Thickness (mm)	Configuration	
Single busbar	≤ 150 x 250 mm	max. 6 x ≤ 200 mm width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120


A.1.20 Multimastic FB1 - 2x 50 mm - Busbars

A.1.20.2 Single busbar - LI 400



Position seal:
right left or anywhere
in between


Front view



Drawing: PBfw.E-1BB-MFB1.2.10

A.1.20 Multimastic FB1 - 2x 50 mm - Busbars

A.1.20.3 Multiple busbars - LI 300




Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductor	Type	Thickness (mm)	Configuration	
Double busbar	$\leq 150 \times 500 \text{ mm}$	max. $6 \times \leq 200 \text{ mm}$ width (per busbar)	Multimastic FB1	50	LI 300 / CI	EI 60


A.1.20 Multimastic FB1 - 2x 50 mm - Busbars

A.1.20.3 Multiple busbars - LI 300

Front view




Position seal:
right left or anywhere
in between



Drawing: PBfw.E-2BB-MFB1.2.10

A.1.20 Multimastic FB1 - 2x 50 mm - Busbars

A.1.20.4 Multiple busbars - LI 400




Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductor	Type	Thickness (mm)	Configuration	
Double busbar	$\leq 150 \times 500 \text{ mm}$	max. $6 \times \leq 200 \text{ mm}$ width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120


A.1.20 Multimastic FB1 - 2x 50 mm - Busbars

A.1.20.4 Multiple busbars - LI 400

Front view



Position seal:
right, left or anywhere
in between




Drawing: PBfw.E-2BB-MFB1.2.10

A.1.21

Multimastic FB1 - 2x 50 mm - Multiple services

A.1.21.1

Airconditioning set - Multicollar Slim



Services	Pipe dimensions (mm)		Insulation			Product	Classification
	Outer diameter	Wall thickness	Type	Thickness (mm)	Configuration		
Set of airconditioning pipes	2x ≤ Ø 15	1.5	PE foam	≥ 6	LS 400 / CS LI 400 / CI	Multicollar Slim	EI 60 C/U E 120 C/U
PVC-U / PVC-C	≤ Ø 40	3.0	-	-	-		EI 60 U/U E 120 U/U
Telecommunication cable	UTP Cat 5/6	-	-	-	-		EI 60
Sheathed cable	≤ 5 x 2.5 mm ²	-	-	-	-		E 120




A.1.22

Multimastic FB2 - 1x 60 mm - Multiple services

A.1.22.1

Airconditioning set - Multicollar Slim

Front view




Services	Pipe dimensions (mm)		Insulation			Product	Classification
	Outer diameter	Wall thickness	Type	Thickness (mm)	Configuration		
Set of airconditioning pipes	2x ≤ Ø 15	1.5	PE foam	≥ 6	LS 400 / CS LI 400 / CI	Multicollar Slim	EI 60 C/U E 120 C/U
PVC-U / PVC-C	≤ Ø 40	3.0	-	-	-		EI 60 U/U E 120 U/U
Telecommunication cable	UTP Cat 5/6	-	-	-	-		EI 60
Sheathed cable	≤ 5 x 2.5 mm ²	-	-	-	-		E 120

A.1.23

Multimastic FB1 - 2x 50 mm - Gas pipes

A.1.23.1


Corrugated stainless steel tube gas (CSST) pipes



Services	Service dimensions (mm)		Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Number of pipes			
Corrugated stainless steel tube (CSST) gas pipes in wire mesh cable tray	≤ Ø 19.9	≤ 3	Multimastic SP ≥ 5 x 5 (wxd)	LI 75 one layer (one wire)	EI 60 U/C
	≤ Ø 40.8	≤ 3			
	≤ Ø 60.3	≤ 1			



A.1.23 Multimastic FB1 - 2x 50 mm - Gas pipes

A.1.23.2 Corrugated stainless steel tube gas (CSST) pipes - Multisealant GR - Multitherm Bandage





Drawing: PBfw.E-GFS-MFB1.2.10



Services	Service dimensions (mm)		Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Number of pipes			
Corrugated stainless steel tube (CSST) gas pipes	≤ Ø 19.9	≤ 2	Multisealant GR ≥ 15 x 20 (wxd)	LI 75 one layer (one wire)	EI 60 U/C
	≤ Ø 40.8	≤ 1			
	≤ Ø 60.3	≤ 1			

A.1.24**Directly through wall - Cables, trays and conduits****A.1.24.1****Cables, trays and conduits - Multimastic C - 50 mm**

Services	Coating	Classification
Metal cable ladders		
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		EI 60, E 90
Cables ≤ Ø 80 mm		
Cables ≤ Ø 21 mm in a tied bundle ≤ Ø 100 mm	Coat back 50 mm ≥ 1 mm WFT	
Non sheathed cables ≤ Ø 24 mm		EI 45, E 90
Plastic conduits ≤ Ø 16 mm		EI 60 U/C, E 90 U/C
Copper conduits ≤ Ø 16 mm		EI 45 C/U, E 60 C/U
Steel conduits ≤ Ø 16 mm		EI 60 C/U

A.1.24**Directly through wall - Cables, trays and conduits****A.1.24.2****Cables, trays and conduits - Multimastic C - 150 mm**


Services	Coating	Classification
Metal cable ladders		EI 90, E 120
Metal (non-)perforated cable trays		EI 120
Steel wire mesh cable trays (baskets)		EI 90, E 120
Cables ≤ Ø 80 mm		EI 60, E 120
Cables ≤ Ø 21 mm in a tied bundle ≤ Ø 100 mm	Coat back 150 mm ≥ 1.5 mm WFT	EI 120 U/C
Non sheathed cables ≤ Ø 24 mm		EI 45 C/U, E 90 C/U
Plastic conduits ≤ Ø 16 mm		EI 90 C/U
Copper conduits ≤ Ø 16 mm		
Steel conduits ≤ Ø 16 mm		

A.1.24**Directly through wall - Cables, trays and conduits****A.1.24.3****Cables, trays and conduits - Multitherm Bandage**

Services	Insulation (mm)	Classification
Metal (non-)perforated cable trays	LI 150 - Multitherm Bandage either side	EI 120
Steel wire mesh cable trays (baskets)		
Cables $\leq \varnothing 21 \text{ mm}$		

A.1.25 Directly through wall - Busbars

A.1.25.1 Single busbar - LI 300




Services	Service dimensions		Insulation			Classification
	Outside	Conductor	Type	Thickness (mm)	Configuration	
Single busbar	$\leq 150 \times 250 \text{ mm}$	max. 6 $\leq 200 \text{ mm}$ width (per busbar)	Multimastic FB1	50	LI 300 / CI	EI 60

A.1.25 Directly through wall - Busbars

A.1.25.1 Single busbar - LI 300


Front view



Drawing: FW.E-1BB-0.10.LI300

A.1.25 Directly through wall - Busbars

A.1.25.2 Single busbar - LI 400




Services	Service dimensions		Insulation			Classification
	Outside	Conductor	Type	Thickness (mm)	Configuration	
Single busbar	$\leq 150 \times 250 \text{ mm}$	max. 6 $\times \leq 200 \text{ mm}$ width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120


A.1.25 Directly through wall - Busbars

A.1.25.2 Single busbar - LI 400

Front view



Drawing: FW.E-1BB-0.10.LI400

A.1.25**Directly through wall - Busbars****A.1.25.3****Multiple busbars - LI 300**

Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductor	Type	Thickness (mm)	Configuration	
Double busbar	≤ 150 x 500 mm	max. 6 x ≤ 200 mm width (per busbar)	Multimastic FB1	50	LI 300 / CI	EI 60


A.1.25

Directly through wall - Busbars


A.1.25.3

Multiple busbars - LI 300

Front view



Drawing: FW.E-2BB-0.10.LI300


A.1.25**Directly through wall - Busbars****A.1.25.4****Multiple busbars - LI 400**

Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductor	Type	Thickness (mm)	Configuration	
Double busbar	$\leq 150 \times 500 \text{ mm}$	max. $6 \times \leq 200 \text{ mm}$ width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120

A.1.25 Directly through wall - Busbars

A.1.25.4 Multiple busbars - LI 400

Front view




Drawing: FW.E-2BB-0.10.LI400

A.2.1

Multimastic FB2 - 2x 60 mm - Cables, trays and conduits

A.2.1.1

Cables and trays - Multimastic C





Services	Coating	Classification
Metal cable ladders		
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		
Cables ≤ Ø 21 mm	Coat back 150 mm ≥ 1.5 mm WFT Multimastic C	EI 240
Cables ≤ Ø 21 mm in a tied bundle ≤ Ø 100 mm		EI 120
Plastic conduits ≤ Ø 16 mm		EI 180 U/C

A.2.2

Multimastic FB2 Pattress - 2x 60 mm - Cables, trays and conduits

A.2.2.1

Cables and trays - Multimastic C



Services	Coating	Classification
Metal cable ladders	Not required	EI 240
Metal (non-)perforated cable trays		EI 180, E 240
Steel wire mesh cable trays (baskets)		EI 240
Cables ≤ Ø 21 mm		EI 90, E 240
Cables ≤ Ø 21 mm in a tied bundle ≤ Ø 100 mm		
Non sheathed cables ≤ Ø 24 mm		




A.2.3

Multimastic FB2 - 2x 60 mm - Combustible pipes

A.2.3.1

Plastic pipes - Multiwrap

Front view



Drawing: RW150-PP-MW2-MFB2.2.10

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
PE(-HD) / PE-X / ABS / SAN+PVC	≤ Ø 40	2.0 to 5.5	Multiwrap (1 layer)	EI 240 U/C
	≤ Ø 110	3.4	Multiwrap (2 layers)	
		3.4 to 10	EI 180 U/C, E 240 U/C	
	≤ Ø 160	4.0 to 9.5		Multiwrap (6 layers)
		9.5		
PP	≤ Ø 40	1.8 to 5.5	Multiwrap (1 layer)	EI 240 U/C
PVC(-U-C)	≤ Ø 40	2.0 to 5.5	Multiwrap (2 layers)	EI 180 U/C, E 240 U/C
	≤ Ø 110	2.7 to 8.6	Multiwrap (6 layers)	
	≤ Ø 160	4.0 to 11.8	Multiwrap (6 layers)	



A.2.4

Multimastic FB2 - 2x 60 mm - Multilayer pipes (MLC)


A.2.4.1

Multilayer pipes (MLC) - Stone wool LI 600 / CI

Front view



Position seal:
right, left or any in between






Drawing: RW150-MLA-MFB2.2.20

Services	Pipe dimensions (mm)		Insulation			Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration	
Multilayer pipes (MLC)	≤ Ø 20	2.0	Stone wool (≥ 80 kg/m³)	≥ 25	LI 600 / CI	EI 240 C/U

A.2.5**Multimastic FB2 - 2x 60 mm - Metal pipes insulated mineral wool****A.2.5.1****Steel pipes - Stone wool LS 400 / CS**

Front view



Drawing: RW150.E-ST-MFB2.2.20

Services	Pipe dimensions (mm)		Insulation			Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration	
(Stainless) Steel / cast iron	$\leq \varnothing 40$	≥ 1.0	Stone wool ($\geq 80 \text{ kg/m}^3$)	30	LS 400 / CS	EI 90 C/U
	$\leq \varnothing 324$	≥ 3.7				E 180 C/U
						EI 90 C/U
						E 180 C/U



A.2.5

Multimastic FB2 - 2x 60 mm - Metal pipes insulated mineral wool


A.2.5.2

Copper and steel pipes - Stone wool LI / CI

Front view



Position seal:
right, left or any in between



Drawing: RW150.E-CU-MFB2.2.20

Services	Pipe dimensions (mm)		Insulation			Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration	
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m ³)	≥ 25	LI 400 / CI	EI 90 C/U, E 240 C/U
					CI	EI 120 C/U, E 240 C/U
	≤ Ø 54	≥ 1.5			LI 400 / CI	EI 120 C/U
					LI 500 / CI	EI 90 C/U, E 240 C/U
					CI	EI 120 C/U, E 240 C/U
					LI 400 / CI	EI 180 C/U
(Stainless) Steel / cast iron	≤ Ø 40	≥ 1.0		≥ 30	LI 600 / CI	EI 240 C/U
	≤ Ø 114.3	≥ 3.6			LI 400 / CI	EI 120 C/U
	≤ Ø 219	≥ 4.0			LI 600 / CI	EI 120 C/U, E 240 C/U
		≥ 3.7			CI	EI 180 C/U, E 240 C/U
		≥ 6.3			LI 400 / CI	EI 120 C/U
					LI 500 / CI	EI 180 C/U, E 240 C/U




A.2.6

Multimastic FB2 - 1x 60 mm - Cables, trays and conduits

A.2.6.1

Cables - Multimastic C

Front view



Services	Coating	Classification
Cables ≤ Ø 21 mm (single)	Coat back 150 mm, ≥ 1 mm WFT	EI 45, E 240




A.2.7

Multimastic FB2 - 1x 60 mm - Metal pipes insulated mineral wool

A.2.7.1



Copper and steel pipes - Stone wool LI / CI

Front view



Drawing: RW150.E-ST-MFB2.1.20

Services	Pipe dimensions (mm)		Insulation			Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration	
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m ³)	≥ 25	LI 500 / CI	EI 90 C/U, E 240 C/U
	≤ Ø 54	≥ 1.5			CI	EI 120 C/U, E 240 C/U
(Stainless) Steel / cast iron	≤ Ø 40	≥ 1.0		LI 500 / CI	LI 90 C/U, E 240 C/U	
	≤ Ø 219	≥ 4.0		CI	EI 120 C/U, E 240 C/U	
			LI 600 / CI	≥ 30	EI 240 C/U	
					EI 180 C/U, E 240 C/U	

A.2.8**Directly through wall - Cables, trays and conduits****A.2.8.1****Cables, trays and conduits - Multimastic C - 150 mm**Front viewExample of cables in cable tray

Drawing: RW150.E-PB-CT-0.10


Services	Coating	Classification
Metal cable ladders		
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		EI 240
Cables $\leq \varnothing 21 \text{ mm}$	Coat back 150 mm $\geq 1.5 \text{ mm WFT}$ Multimastic SP/C	
Cables $\leq \varnothing 21 \text{ mm}$ in a tied bundle $\leq \varnothing 100 \text{ mm}$		EI 120, E 180
Plastic conduits $\leq \varnothing 16 \text{ mm}$		EI 180 U/C

B.1.1




Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits

B.1.1.1

Cables, trays and conduits - Multimastic C






Services	Coating	Classification
Metal cable ladders		
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)	Coat back 50 mm ≥ 1 mm WFT Multimastic C	EI 90, E 120
Cables ≤ Ø 21 mm in a tied bundle ≤ Ø 100 mm		EI 60, E 120
Cables ≤ Ø 50 mm		EI 90 U/C, E 120 U/C
Plastic conduits ≤ Ø 16 mm		EI 45, E 120
Non sheathed cables ≤ Ø 24 mm		

B.1.1**Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits****B.1.1.2****Cables and trays - Multitherm Bandage**



Drawing: PBrf.E-CT-MFB1-B1.1.10

Services	Insulation (mm)	Classification
Metal cable ladders	LI 150 Multitherm Bandage bottom of floor (two wires)	EI 60, E 120
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		
Cables ≤ Ø 21 mm		

B.1.1**Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits****B.1.1.2****Cables and trays - Multitherm Bandage**


Drawing: PBrf.E-CT-MFB1-B3.1.10

Services	Insulation (mm)	Classification
Metal cable ladders	LI 150 - Multitherm Bandage top of floor	EI 90 E 120
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		
Cables ≤ Ø 21 mm		

B.1.1**Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits****B.1.1.3****Cables and trays - Multifoam 2K**



Drawing: PBref.E-CT-3-MF-MFB1.2.10

Services	Sealing (mm)	Classification
Metal cable ladders	Multifoam 2K / Stone ≥ 0 x 100 (wxd)	EI 60 E 120
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		
Cables ≤ Ø 21 mm	Multifoam 2K / Stone ≥ 10 x 100 (wxd)	EI 60 C/U, E 90 C/U
Plastic conduits ≤ Ø 16 mm		

B.1.1**Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits****B.1.1.4****Single plastic conduits - Multidisc**



Drawing: PBrf.E-MFB1-EP19-M2.0.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Plastic conduits $\leq \text{Ø} 25 \text{ mm}$, with or without cables	Multidisc bottom of floor	$\leq \text{Ø} 32$	Multimastic SP 0-20 x ≥ 5 (wdx) top of floor	EI 90 U/U, E 120 U/U


B.1.1**Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits****B.1.1.5****Multiple plastic conduits - Multidisc**

Drawing: PBf.E-EP-M5.0.30

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Multiple plastic conduits, max 5 pcs. ≤ Ø 16 mm, with or without cables	Multidisc bottom of floor	≤ Ø 32	Multimastic SP 0-10 x ≥ 20 (wxd) top of floor	EI 90 U/U, E 120 U/U


B.1.1**Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits****B.1.1.6****Single cables - Multidisc**Bottom view

Mulcol® Multimastic FB1
(2x 50 mm, ≥ 1 mm WFT Multimastic C)






Drawing: PBrf.E-MFB1-EC-M2.0.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Cables ≤ Ø 12 mm (e.g. YMVK 5x2.5 mm ²)	Multidisc bottom of floor	≤ Ø 32	Multimastic SP 0-20 x ≥ 5 (wdx) top of floor	EI 90, E 120

B.1.1**Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits****B.1.1.7****Multiple cables - Multidisc**


Drawing: PBrf.E-MFB1-ECB-M2.0.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Telecommunication cables $\leq \text{Ø} 15$ max 15 pcs	Multidisc bottom of floor	$\leq \text{Ø} 32$	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 60, E 120

B.1.1**Multimastic FB1 - 2x 50 mm no cavity - Cables, trays and conduits****B.1.1.8****Multiple plastic conduits - Multisealant GR**




Drawing: PBrf.E-EP8-G2.1.10

Services	Sealing (mm)	Classification
Multiple plastic conduits ≤ Ø 25 mm, max 8 pcs. with or without cables	Multisealant GR ≥ 5x10 mm (wxd)	EI 90 U/U

B.1.2**Multimastic FB1 - 2x 50 mm cavity 50 mm - Cables, trays and conduits****B.1.2.1****Cables, trays and conduits - Multimastic C**




Drawing: PBrf.E-CT-4-MFB1.2.10.C

Services	Coating	Classification
Metal cable ladders		
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		EI 120
Cables ≤ Ø 21 mm in a tied bundle ≤ Ø 100 mm	Coat back 150 mm ≥ 1.5 mm WFT Multimastic C	
Non sheathed cables ≤ Ø 17 mm		EI 120 U/C
Plastic conduits ≤ Ø 16 mm		
Cables ≤ Ø 80 mm		EI 90, E 120
Non sheathed cables ≤ Ø 24 mm		

B.1.2**Multimastic FB1 - 2x 50 mm cavity 50 mm - Cables, trays and conduits****B.1.2.2****Cables and trays - Multitherm Bandage**


Drawing: PBrf.E-CT-MFB1-B1.1.10.C

Services	Insulation	Classification
Metal cable ladders		
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		
Cables ≤ Ø 21 mm	LI 150 Multitherm Bandage bottom of floor (two wires)	EI 60, E 120

B.1.2**Multimastic FB1 - 2x 50 mm cavity 50 mm - Cables, trays and conduits****B.1.2.2****Cables and trays - Multitherm Bandage**

Drawing: PBrf.E-CT-MFB1-B3.1.10.C

Services	Insulation	Classification
Metal cable ladders	LI 150 Multitherm Bandage top of floor	EI 90, E 120
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		
Cables ≤ Ø 21 mm		


B.1.2**Multimastic FB1 - 2x 50 mm cavity 50 mm - Cables, trays and conduits****B.1.2.3****Cables and trays - Multifoam 2K**

Drawing: PBrf.E-CT-3-MF-MFB1.2.10.C

Services	Sealing (mm)	Classification
Metal cable ladders	Multifoam 2K / Stone ≥ 0 x 100 (wxd)	EI 60, E 120
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		
Cables ≤ Ø 21 mm	Multifoam 2K / Stone ≥ 10 x 100 (wxd)	EI 60, E 90
Plastic conduits ≤ Ø 16 mm		



B.1.2 Multimastic FB1 - 2x 50 mm cavity 50 mm - Cables, trays and conduits

B.1.2.4 Single plastic conduits - Multidisc



Drawing: PBrf E-MFB1-EP19-M2.0.10.C

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Plastic conduits $\leq \varnothing 25$ mm with or without cables	Multidisc bottom of floor	$\leq \varnothing 32$	Multimastic SP 0-20 x ≥ 5 (wdx) top of floor	EI 90 U/U, E 120 U/U



B.1.2**Multimastic FB1 - 2x 50 mm cavity 50 mm - Cables, trays and conduits****B.1.2.5****Multiple plastic conduits - Multidisc**

Drawing: PBrf.E-EP-M5.0.30.C

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Plastic conduits ≤ Ø 25 mm with or without cables	Multidisc bottom of floor	≤ Ø 32	Multimastic SP ≥ 0-20 x 5 (wdx) top of floor	EI 90 U/U, E 120 U/U


B.1.2 Multimastic FB1 - 2x 50 mm cavity 50 mm - Cables, trays and conduits

B.1.2.6 Single cables - Multidisc




Drawing: PBrf.E-MFB1-EC-M2.0.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Cables $\leq \text{Ø} 12 \text{ mm}$ (e.g. YMVK 5x2.5 mm ²)	Multidisc bottom of floor	$\leq \text{Ø} 32$	Multimastic SP $\geq 0-20 \times 5$ (wxd) top of floor	EI 120

B.1.2**Multimastic FB1 - 2x 50 mm cavity 50 mm - Cables, trays and conduits****B.1.2.7****Multiple cables - Multidisc**




Drawing: PBrf.E-MFB1-ECB-M2.0.10

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Telecommunication cables $\leq \text{Ø} 15$ max 15 pcs	Multidisc bottom of floor	$\leq \text{Ø} 32$	Multimastic SP $\geq 0-20 \times 5$ (wxd) top of floor	EI 60, E 120

B.1.3**Multimastic FB2 - 1x 60 mm - Cables, trays and conduits****B.1.3.1****Cables, trays and conduits - Multimastic C**

Drawing: PBref.E-CT-4-MFB2.1.10

Services	Coating	Classification
Metal cable ladders		EI 90, E 120
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)	Coat back 150 mm ≥ 1 mm WFT Multimastic C	EI 60, E 120
Cables ≤ Ø 50 mm		
Cables ≤ Ø 21 mm in a tied bundle ≤ Ø 100 mm		
Plastic conduits ≤ Ø 16 mm		EI 90, E 120
Non sheathed cables ≤ Ø 24 mm		EI 45, E 120

B.1.3**Multimastic FB2 - 1x 60 mm - Cables, trays and conduits****B.1.3.2****Single plastic conduits - Multidisc**

Drawing: PBrf.E-MFB2-EP19-M2.0.1


Services	Product	Aperture (mm)	Sealing (mm)	Classification
Plastic conduits $\leq \varnothing 25$ mm with or without cables	Multidisc bottom of floor	$\leq \varnothing 32$	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 60 U/C, E 90 U/C

B.1.3

Multimastic FB2 - 1x 60 mm - Cables, trays and conduits



B.1.3.3

Single cables - Multidisc




Drawing: PBref.E-MFB2-EC-M2.0.1

Services	Product	Aperture (mm)	Sealing (mm)	Classification
Cables $\leq \text{Ø} 12 \text{ mm}$ (e.g. YMVK 5x2.5 mm ²)	Multidisc bottom of floor	$\leq \text{Ø} 32$	Multimastic SP $\geq 0-20 \times 5$ (wxd) top of floor	EI 60, E 90



B.1.4**Multimastic FB1 - 2x 50 mm no cavity - Combustible pipes****B.1.4.1****Plastic pipes - Multicollar Slim**

Position seal:
top bottom or anywhere
in between




Drawing: PBf.E-PP-MFB1.2.10

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification	
	Outer dimension	Wall thickness				
PE(-HD) / PE-X / ABS / SAN+PVC	$\leq \varnothing 110$	2.7	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wxld)	EI 90 U/U	
		2.7 - 6.6			EI 60 U/U	
PP		2.7			EI 90 U/U	
		2.7 - 6.3			EI 60 U/U	
PVC(-U/-C)		2.7			EI 90 U/U	
		2.7 - 6.3			EI 60 U/U	




B.1.4**Multimastic FB1 - 2x 50 mm no cavity - Combustible pipes****B.1.4.2****Plastic pipes - Multiwrap**Bottom view

Position seal:
top, bottom or anywhere
in between





Drawing: PBrf.E-PP-MW2-MFB1.2.10

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
PVC(-U/-C)	≤ Ø 110	3.2	Multiwrap (2 layers)	EI 120 U/C


B.1.4**Multimastic FB1 - 2x 50 mm no cavity - Combustible pipes****B.1.4.3****Plastic pipes (Silent) - Multicollar Slim**

Drawing: PBrf.E-PPS-MFB1.2.10

Services	Pipe dimensions (mm)		System	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Geberit Silent dB20	≤ Ø 110	6.0	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 90 U/U




B.1.4**Multimastic FB1 - 2x 50 mm no cavity - Combustible pipes****B.1.4.4****Plastic pipes (Silent) - Multiwrap**Bottom view

Position seal:
top bottom or anywhere
in between






Drawing: PBrf E-PPS-MW2-MFB1.2.10

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
Poloplast PoloKal NG	$\leq \varnothing 50$	2.0	Multiwrap (2 layers)	EI 240 U/U
	$\leq \varnothing 110$	3.4		
Geberit Silent dB20	$\leq \varnothing 56$	3.2	Multiwrap (4 layers)	EI 240 U/C
	$\leq \varnothing 110$	6.0		
Poloplast PoloKal NG	$\leq \varnothing 125$	3.9		

B.1.4**Multimastic FB1 - 2x 50 mm no cavity - Combustible pipes****B.1.4.5****PP-R Multilayer pipes - Multicollar Slim**




Drawing: PBrf.E-MLF-11.0.10

Services	Pipe dimensions (mm)		System	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Aquatherm Green-MF	≤ Ø 50	6.9	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 90 U/C
	≤ Ø 110	10.0			EI 60 U/C

B.1.5**Multimastic FB1 - 2x 50 mm cavity 50 mm - Combustible pipes****B.1.5.1****Plastic pipes - Multicollar Slim**




Drawing: PBrf.E-PP-MFB1.2.10.C

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
PE(-HD) / PE-X / ABS / SAN+PVC	≤ Ø 110	2.7	Multicollar Slim	Multimastic SP 0-20 x ≥ 10 (wdx)	EI 90 U/U
		2.7 - 6.6			EI 60 U/U
		2.7 - 3.1			EI 120 U/C
	≤ Ø 125	3.1			
PP	≤ Ø 110	2.7			EI 90 U/U
		2.7 - 6.3			EI 60 U/U
		2.7			EI 90 U/U
PVC(-U/-C)	2.7 - 6.3				EI 60 U/U

B.1.5**Multimastic FB1 - 2x 50 mm cavity 50 mm - Combustible pipes****B.1.5.2****Plastic pipes - Multiwrap**Bottom view



Drawing: PBrf.E-PP-MW2-MFB1.2.10.C

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
PVC(-U/-C)	≤ Ø 110	3.2	Multiwrap (2 layers)	EI 120 U/C


B.1.5**Multimastic FB1 - 2x 50 mm cavity 50 mm - Combustible pipes****B.1.5.3****Plastic pipes - Multimastic SP**Bottom view

Drawing: PBf.E-CU-MFB1.2.20.C

Services	Pipe dimensions (mm)		Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness			
PE(-HD) / PE-X / ABS / SAN+PVC	≤ Ø 40	3.7	Multimastic SP 0-10 x ≥ 20 (wdx)	Stone wool (≥ 33 kg/m ³)	EI 120 U/C
PP	≤ Ø 40	3.7			
PVC(-U/-C)	≤ Ø 40	1.8 - 3.7			
	≤ Ø 50	2.0			




B.1.5**Multimastic FB1 - 2x 50 mm cavity 50 mm - Combustible pipes****B.1.5.4****Plastic pipes - Multisealant GR**Bottom view

Position seal:
top bottom or anywhere
in between






Drawing: PBrf.E-PP-MFB1-G2.5.10.C

Services	Pipe dimensions (mm)		Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness			
PE(-HD) / PE-X / ABS / SAN+PVC	≤ Ø 40	2.4 - 10	Multisealant GR ≥ 15 x 25 (wxd)	Stone wool (≥ 33 kg/m³)	EI 120 U/U
	≤ Ø 110	2.7 - 10			
PP	≤ Ø 40	2.3 - 10	Multisealant GR ≥ 15 x 25 (wxd)	Stone wool (≥ 33 kg/m³)	EI 120 U/U
	≤ Ø 110	2.7 - 10			
PVC(-U/-C)	≤ Ø 40	2.4 - 10	Multisealant GR ≥ 15 x 25 (wxd)	Stone wool (≥ 33 kg/m³)	EI 120 U/U
	≤ Ø 110	2.7 - 10			

B.1.5**Multimastic FB1 - 2x 50 mm cavity 50 mm - Combustible pipes****B.1.5.5****Plastic pipes (Silent) - Multicollar Slim**




Drawing: PBrf-PPS-MFB1.2.10.C

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimensions	Wall thickness			
Geberit Silent dB20	$\leq \varnothing 110$	6.0	Multicollar Slim	Multimastic SP $0-20 \times \geq 5$ (wxd)	EI 90 U/U

B.1.5**Multimastic FB1 - 2x 50 mm cavity 50 mm - Combustible pipes****B.1.5.6****Plastic pipes (Silent) - Multiwrap**Bottom view




Drawing: PBf E-PPS-MW2-MFB1.2.10.C

Services	Pipe dimensions (mm)		Product	Classification
	Outer dimension	Wall thickness		
Poloplast PoloKal NG	$\leq \varnothing 50$	2.0	Multiwrap (2 layers)	EI 240 U/U
	$\leq \varnothing 110$	3.4		
Geberit Silent dB20	$\leq \varnothing 56$	3.2	Multiwrap (4 layers)	EI 240 U/C
	$\leq \varnothing 110$	6.0		
Poloplast PoloKal NG	$\leq \varnothing 125$	3.9		

B.1.5**Multimastic FB1 - 2x 50 mm cavity 50 mm - Combustible pipes****B.1.5.7****PP-R Multilayer pipes - Multicollar Slim**

Drawing: PBrf.E-MLF-11.0.10.C

Services	Pipe dimensions (mm)		System	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Aquatherm Green-MF	≤ Ø 50	6.9	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 90 U/C
	≤ Ø 110	10.0			EI 120 U/C




B.1.5**Multimastic FB1 - 2x 50 mm cavity 50 mm - Combustible pipes****B.1.5.8****Drinks tubing system - Multicollar Slim**Bottom view

Drawing: PBrf E-MC30-DCT25-11.0.22.C

Services	Dimensions (mm)		Insulation			Product	Sealing (mm)	Classification
	Outer dimension	No. of Hoses	Type	Thickness (mm)	Configuration			
Drinks tubing system	≤ Ø 47	≤ 3	Elastomeric foam	8 - 35	CS	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 U/C
	≤ Ø 90	≤ 3						
	≤ Ø 100	≤ 25						
	≤ Ø 145	≤ 52						



B.1.6 Multimastic FB2 - 1x 60 mm - Combustible pipes

B.1.6.1 Plastic pipes - Multicollar Slim




Drawing: PBrf.E-PP-MFB2.1.10

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
PE-HD) / PE-X / ABS / SAN+PVC	$\leq \varnothing 110$	2.7	Multicollar Slim	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 U/U




B.1.6**Multimastic FB2 - 1x 60 mm - Combustible pipes****B.1.6.2****Plastic pipes - Multiwrap**Bottom view

Position seal:
top bottom or anywhere
in between



Drawing: PBrf.E-PP-MW2-MFB2.1.10

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
PVC(-U/-C)	≤ Ø 110	3.2	Multiwrap (2 layers)	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 120 U/C

B.1.7**Multimastic FB1 - 2x 50 mm no cavity - Multilayer pipes (MLC)****B.1.7.1****Multilayer pipes (MLC) - Multisealant GR**

Drawing: PBrf.E-MLA-G1.4.10




Services	Pipe dimensions (mm)		Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness			
Multilayer pipes (MLC)	≤ Ø 20	2.0	Multisealant GR ≥ 15 x 25 (wxd)	Stone wool (≥ 33 kg/m ³)	EI 120 U/C
	≤ Ø 25	3.5			
	≤ Ø 32	3.0			EI 90 U/C E 120 U/C
	≤ Ø 40	3.5 - 4.0			

B.1.7

Multimastic FB1 - 2x 50 mm no cavity - Multilayer pipes (MLC)




B.1.7.2

Multilayer pipes (MLC) - Elastomer LS 300 / CS - Multisealant GR






Drawing: PBrf.E-MLA-G1.4.22

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Multilayer pipe (MLC)	≤ Ø 20	2.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	9 - 32	LS 300 / CS	Multisealant GR ≥ 15 x 20 (wxd)	Stone wool (≥ 35 kg/m ³)	EI 120 U/C
	≤ Ø 32	3.0						
	≤ Ø 40	3.5						
	≤ Ø 50	4.0						EI 90 U/C E 120 U/C
	≤ Ø 63	4.5						
	≤ Ø 75	6.0						EI 90 U/C

B.1.7**Multimastic FB1 - 2x 50 mm no cavity - Multilayer pipes (MLC)****B.1.7.3****Multilayer pipes (MLC) - Elastomer LI 300 / CI - Multisealant GR**Bottom view




Drawing: PBrf.E-MLA-G1.4.22.LI

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Multilayer pipe (MLC)	≤ Ø 20	2.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	9 - 32	LI 300 / CI	Multisealant GR $\geq 15 \times 20$ (wxd)	Stone wool $\geq 35 \text{ kg/m}^3$	EI 120 U/C
	≤ Ø 32	3.0						EI 90 U/C
	≤ Ø 40	3.5						E 120 U/C
	≤ Ø 50	4.0						EI 90 U/C
	≤ Ø 63	4.5						
	≤ Ø 75	6.0						

B.1.7**Multimastic FB1 - 2x 50 mm no cavity - Multilayer pipes (MLC)****B.1.7.4****Multilayer pipes (MLC) - PE foam LS 300 / CS - Multisealant GR**




Drawing: PBrf.E-MLA_pr-G1.4.23

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Multilayer pipe (MLC)	$\leq \varnothing 20$	2.0	Henco PE foam	≤ 6	LS 300 / CS	Multisealant GR $\geq 15 \times 20$ (wxd)	Stone wool (≥ 35 kg/m 3)	EI 120 U/C
	$\leq \varnothing 25$	3.5						
	$\leq \varnothing 32$	3.0						

B.1.7**Multimastic FB1 - 2x 50 mm no cavity - Multilayer pipes (MLC)****B.1.7.4****Multilayer pipes (MLC) - PE foam LI 300 / CI - Multisealant GR**




Drawing: PBrf.E-MLA_pr-G1.4.23.LI

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Multilayer pipe (MLC)	≤ Ø 20	2.0	Henco PE foam	≤ 6	LI 300 / CI	Multisealant GR ≥ 15 x 20 (wxd)	Stone wool (≥ 35 kg/m³)	EI 120 U/C
	≤ Ø 25	3.5						
	≤ Ø 32	3.0						

B.1.7**Multimastic FB1 - 2x 50 mm no cavity - Multilayer pipes (MLC)****B.1.7.5****Multilayer pipes (MLC) - Multimastic SP**Bottom view




Drawing: PBrf.E-MLA-MFB1.2.22

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 26	3.0	ArmaFlex Protect	20	LS 400 / CS	Multimastic SP 0-20 x ≥ 5 (wdx)	EI 120 U/C
	≤ Ø 75	5.0		25			

B.1.7**Multimastic FB1 - 2x 50 mm no cavity - Multilayer pipes (MLC)****B.1.7.6****Multilayer pipes (MLC) - Multidisc**Bottom view

Drawing: PBrf.E-MFB1-MLA-M2.0.10

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Multilayer pipes (MLC)	≤ Ø 16	2.0	Multidisc	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 90 U/C E 120 U/C




B.1.8**Multimastic FB1 - 2x 50 mm cavity 50 mm - Multilayer pipes (MLC)****B.1.8.1****Multilayer pipes (MLC) - Multisealant GR**

Drawing: PBrf.E-MLA-G1.4.10.C

Services	Pipe dimensions (mm)		Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness			
Multilayer pipes (MLC)	≤ Ø 20	2.0	Multisealant GR ≥ 15 x 25 (wxd)	Stone wool (≥ 33 kg/m ³)	EI 120 U/C
	≤ Ø 25	3.5			
	≤ Ø 32	3.0			EI 90 U/C EI 120 U/C
	≤ Ø 40	3.5 - 4.0			




B.1.8 Multimastic FB1 - 2x 50 mm cavity 50 mm - Multilayer pipes (MLC)

B.1.8.2 Multilayer pipes (MLC) - Elastomer LS 300 / CS - Multisealant GR



Drawing: PBrf.E-MLA-G1.4.22.C

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Multilayer pipe (MLC)	≤ Ø 20	2.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	9 - 32	LS 300 / CS	Multisealant GR ≥ 15 x 20 (wxd)	Stone wool (≥ 35 kg/m ³)	EI 120 U/C
	≤ Ø 32	3.0						EI 90 U/C
	≤ Ø 40	3.5						E 120 U/C
	≤ Ø 50	4.0						EI 90 U/C
	≤ Ø 63	4.5						
	≤ Ø 75	6.0						




B.1.8**Multimastic FB1 - 2x 50 mm cavity 50 mm - Multilayer pipes (MLC)****B.1.8.2****Multilayer pipes (MLC) - Elastomer LI 300 / CI - Multisealant GR**

Drawing: PBrf.E-MLA-G1.4.22.C.LI

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Multilayer pipe (MLC)	≤ Ø 20	2.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	9 - 32	LI 300 / CI	Multisealant GR ≥ 15 x 20 (wxd)	Stone wool (≥ 35 kg/m ³)	EI 120 U/C
	≤ Ø 32	3.0						
	≤ Ø 40	3.5						EI 90 U/C E 120 U/C
	≤ Ø 50	4.0						
	≤ Ø 63	4.5						EI 90 U/C
	≤ Ø 75	6.0						

B.1.8 Multimastic FB1 - 2x 50 mm cavity 50 mm - Multilayer pipes (MLC)

B.1.8.3 Multilayer pipes (MLC) - PE foam - Multisealant GR






Drawing: PBrf.E-MLA_pr-G1.4.23.C

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 20	2.0	Henco PE Foam	6	LS 300 / CS LI 300 / CI	Multisealant GR ≥ 15 x 20 (wxd)	EI 120 U/C
	≤ Ø 25	3.5					
	≤ Ø 32	3.0					

B.1.8 Multimastic FB1 - 2x 50 mm cavity 50 mm - Multilayer pipes (MLC)

B.1.8.3 Multilayer pipes (MLC) - PE foam - Multisealant GR






Drawing: PBrf.E-MLA_pr-G1.4.23.C.LI

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 20	2.0	Henco PE Foam	6	LS 300 / CS LI 300 / CI	Multisealant GR ≥ 15 x 20 (wxd)	EI 120 U/C
	≤ Ø 25	3.5					
	≤ Ø 32	3.0					

B.1.8 Multimastic FB1 - 2x 50 mm cavity 50 mm - Multilayer pipes (MLC)




B.1.8.4 Multilayer pipes (MLC) - Multimastic SP

Bottom view






Drawing: PBf.E-MLA-MFB1.2.22

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Multilayer pipes (MLC)	≤ Ø 26	3.0	ArmaFlex Protect	20	LS 400 / CS	Multimastic SP 0-20 x ≥ 5 (wdx)	EI 120 U/C
	≤ Ø 75	5.0		25			

B.1.8**Multimastic FB1 - 2x 50 mm cavity 50 mm - Multilayer pipes (MLC)****B.1.8.5****Multilayer pipes (MLC) - Multidisc**

Drawing: PBrf.E-MFB1-MLA-M2 0.10.C

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Multilayer pipes (MLC)	≤ Ø 16	2.0	Multidisc	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 90 U/C, E 120 U/C

B.1.9**Multimastic FB2 - 1x 60 mm - Multilayer pipes (MLC)****B.1.9.1****Multilayer pipes (MLC) - Multidisc**Bottom view




Drawing: PBrf.E-MFB2-MLA-M2.0.10

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Multilayer pipes (MLC)	$\leq \varnothing 16$	2.0	Multidisc	Multimastic SP $0-20 \times \geq 5$ (wxd)	EI 60 U/C, E 90 U/C

B.1.10 Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated mineral wool

B.1.10.1 Copper and steel pipes - Stone wool LS 400 / CS

Bottom view






Drawing: PBrf.E-CU-MFB1.2.20.LS

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m ³)	25	LS 400 / CS	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 C/U
	≤ Ø 54	≥ 1.5					
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6		30			
	≤ Ø 324	≥ 3.7					

B.1.10 Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated mineral wool

B.1.10.2 Copper and steel pipes - Stone wool LI 400 / CI

Bottom view





Drawing: PBrf.E-CU-MFB1.2.20.LI

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification			
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration					
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m ³)	≥ 25	LI 400 / CI	Multimastic SP 0 - 20 x ≥ 5 (wxd)	EI 120 C/U			
	≤ Ø 54	≥ 1.5								
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6		≥ 30						
	≤ Ø 219	≥ 4.0								


B.1.10 Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated mineral wool

B.1.10.3 Copper and steel pipes - Glass wool LI 400 / Cl

Bottom view



Position seal:
top bottom or anywhere
in between






Drawing: PBrf.E-ST-MFB1.2.20.G.LI

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
(Stainless) Steel / cast iron	≤ Ø 40	≥ 2.0	Glass wool (≥ 33 kg/m³)	≥ 25	LI 400 / Cl	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 C/U
	≤ Ø 114.3	≥ 3.6					EI 90 C/U, E 120 C/U
	≤ Ø 219	≥ 4.0		≥ 30			EI 60 C/U, E 120 C/U




B.1.11 Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes insulated mineral wool
B.1.11.1 Copper and steel pipes - Stone wool LS 400 / CS

Bottom view






Drawing: PBrf.E-CU-MFB1.2.20.LS.C

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification			
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration					
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m³)	25	LS 400 / CS	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 C/U			
	≤ Ø 54	≥ 1.5								
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6		30						
	≤ Ø 324	≥ 3.7								

B.1.11**Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes insulated mineral wool****B.1.11.2****Copper and steel pipes - Stone wool LI 400 / CI**Bottom viewPosition seal:
top bottom or anywhere
in between




Drawing: PBrf.E-CU-MFB1.2.20.LI.C

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification			
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration					
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m³)	25	LI 400 / CI	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 C/U			
	≤ Ø 54	≥ 1.5								
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6		30						
	≤ Ø 324	≥ 3.7								

B.1.11**Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes insulated mineral wool****B.1.11.3****Copper and steel pipes - Glass wool LI 400 / Cl**Bottom view



Drawing: PBrf.E-ST-MFB1.2.20.G.LI.C

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
(Stainless) Steel / cast iron	≤ Ø 40	≥ 2.0	Isover Climclover Glass wool (≥ 33 kg/m³)	≥ 25 ≥ 30	LI 400 / Cl	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 C/U
	≤ Ø 114.3	≥ 3.6					EI 90 C/U, E 120 C/U
	≤ Ø 219	≥ 4.0					EI 60 C/U, E 120 C/U


B.1.12**Multimastic FB2 - 1x 60 mm - Metal pipes insulated mineral wool****B.1.12.1****Copper and steel pipes - Stone wool LS 400 / CS**Bottom view

Drawing: PBrf.E-ST-MFB2.1.20

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m ³)	25	LS 400 / CS	Multimastic SP 0-10 x ≥ 10 (wxh)	EI 90 C/U E 120 C/U
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6					EI 60 C/U E 120 C/U
	≤ Ø 219	≥ 4.0					




B.1.12**Multimastic FB2 - 1x 60 mm - Metal pipes insulated mineral wool****B.1.12.2****Copper and steel pipes - Stone wool LI 400 / CI**Bottom view

Position seal:
top bottom or anywhere
in between



Drawing: PBrf.E-ST-MFB2.1.20.LI

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Stone wool (≥ 80 kg/m³)	≥ 25	LI 400 / CI	Multimastic SP 0-10 x ≥ 10 (wdx)	EI 90 C/U EI 120 C/U
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6					
	≤ Ø 219	≥ 4.0		≥ 30			

B.1.13**Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated elastomer****B.1.13.1****Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR**Bottom view

Drawing: PBrf.E-CU-MFB1-G2.4.22

Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification		
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration					
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	8.5	LS 400 / CS	Multimastic GR ≥ 10 x 20 (wxd)	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 60 C/U, E 120 C/U		
	≤ Ø 54	≥ 1.5		8.5 - 33.5				EI 60 C/U, E 90 C/U		
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		13.5	CS			EI 120 C/U		
	≤ Ø 114.3	≥ 3.6		13.5 - 38	LS 400 / CS			EI 90 C/U, E 120 C/U		
				8.5 - 35				EI 120 C/U		
				15	CS			EI 90 C/U, E 120 C/U		
				15 - 43	LS 400 / CS					

B.1.13 Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated elastomer
B.1.13.1 Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR




Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	Kaiflex KK Plus (min. class B-s2, d0 B _L -s2, d0)	8.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 60 C/U E 120 C/U

Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex NH (min. class D-s3, d0 D _L -S3, d0)	9 - 25	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 120 C/U
	≤ Ø 54	≥ 1.5		13	LS 400 / CS			EI 90 C/U
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		13 - 25	LS 400 / CS			EI 120 C/U
	≤ Ø 114.3	≥ 3.6		9 - 25	LS 400 / CS			
				19 - 25	LS 400 / CS			

Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification			
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration						
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Ultima (min. class B-s1, d0 B _L -S1, d0)	9 - 25	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 60 C/U E 120 C/U			
				25 - 32				EI 90 C/U E 120 C/U			
				13 - 32				EI 60 C/U E 120 C/U			
	≤ Ø 54	≥ 1.5		13 - 32	CS			EI 90 C/U E 120 C/U			
				32	LS 400 / CS			EI 90 C/U			
				9 - 25				EI 60 C/U E 90 C/U			
				25				EI 90 C/U E 120 C/U			
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		13				EI 60 C/U E 120 C/U			
				13 - 32				EI 60 C/U E 120 C/U			

B.1.13 Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated elastomer

B.1.13.2 Steel pipes - Elastomer LI 300 / CI - Multicollar Slim






Drawing: PBrf.E-ST-11.0.22.LI

Services	Pipe dimensions (mm)		Insulation			Product	Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration				
(Stainless) Steel / cast iron	≤ Ø 114.3	≥ 3.6	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	9 - 32	LI 300 / CI	Multicollar Slim	Multimastic SP 0-20 x ≥ 10 (wxd)	25 mm stone wool (33 kg/m ³)	EI 60 C/U E 90 C/U
				32					




B.1.13 Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated elastomer

B.1.13.3 Copper and steel pipes - Elastomer LS 400 / CS - Multiwrap






Drawing: PBrf.E-CU-MW2-MFB1.2.22

Services	Pipe dimensions (mm)		Insulation			Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	$\leq \varnothing 12$	≥ 1	ArmaFlex AF (min. class B-s3, d0 B_L -s3, d0)	11	LS 400 / CS	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor		EI 120 C/U
				11 - 28.5				E 240 C/U
Copper / (stainless) steel / cast iron	$\leq \varnothing 54$	≥ 1.5		13.5 - 28.5				EI 90 C/U
				28.5				EI 45 C/U
(Stainless) Steel / cast iron	$\leq \varnothing 168.3$	≥ 4.5		13 - 19				E 90 C/U
								EI 45 C/U
								E 120 C/U

B.1.13**Multimastic FB1 - 2x 50 mm no cavity - Metal pipes insulated elastomer****B.1.13.4****Copper and steel pipes - ArmaFlex Protect LS 400 / CS**

Drawing: PBrf.E-CU-MFB1.2.22.LS

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Protect	20 - 25	LS 400 / CS	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 C/U
	≤ Ø 54	≥ 1.5		25			

B.1.14**Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes insulated elastomer****B.1.14.1****Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR**Bottom view

Drawing: PBrf.E-CU-MFB1-G2.2.22.LS.C



Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification			
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration						
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	8.5	LS 400 / CS	Multimastic GR 0-20 x ≥ 5 (wxd) top of floor		EI 60 C/U E 120 C/U			
				8.5 - 33.5				EI 60 C/U E 90 C/U			
				13.5	CS			EI 120 C/U			
	≤ Ø 54	≥ 1.5		13.5 - 38	LS 400 / CS			EI 90 C/U E 120 C/U			
				8.5 - 35				EI 120 C/U			
				15	CS			EI 90 C/U E 120 C/U			
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		15 - 43	LS 400 / CS						
	≤ Ø 114.3	≥ 3.6									

B.1.14 Multimastic FB1 - 2x 50 mm cavity 50 mm- Metal pipes insulated elastomer
B.1.14.1 Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR


Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	Kaiflex KK Plus (min. class B-s2, d0 B _L -s2, d0)	8.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 60 C/U E 120 C/U

Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex NH (min. class D-s3, d0 D _L -S3, d0)	9 - 25	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 120 C/U
	≤ Ø 54	≥ 1.5		13	LS 400 / CS			
	≤ Ø 26.9	≥ 2.3		13 - 25	LS 400 / CS			EI 90 C/U
	≤ Ø 114.3	≥ 3.6		9 - 25	LS 400 / CS			
				19 - 25	LS 400 / CS			

Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification			
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration						
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Ultima (min. class B-s1, d0 B _L -S1, d0)	9 - 25	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 60 C/U E 120 C/U			
				25 - 32				EI 90 C/U E 120 C/U			
				13 - 32				EI 60 C/U E 120 C/U			
				13 - 32	CS			EI 90 C/U E 120 C/U			
	≤ Ø 54	≥ 1.5		32	LS 400 / CS			EI 90 C/U			
				9 - 25				EI 60 C/U E 90 C/U			
				25				EI 90 C/U E 120 C/U			
				13				EI 60 C/U E 120 C/U			
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3		13 - 32				EI 60 C/U E 120 C/U			




B.1.14**Multimastic FB1 - 2x 50 mm cavity 50 mm- Metal pipes insulated elastomer****B.1.14.2****Steel pipes - Elastomer LI 300 / CI - Multicollar Slim**

Position seal:
top bottom or anywhere
in between



Drawing: PBrf.E-ST-11.0.22.LI.C

Services	Pipe dimensions (mm)		Insulation			Product	Sealing (mm)	Backing	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration				
(Stainless) Steel / cast iron	$\leq \emptyset 114.3$	≥ 3.6	ArmaFlex AF (min. class B-s3, d0 B_L -s3, d0)	9 - 32	LI 300 / CI	Multicollar Slim	Multimastic SP 0-20 x ≥ 10 (wxd)	25 mm stone wool ($\geq 33\text{kg/m}^3$)	EI 60 C/U E 90 C/U
				32					




B.1.14**Multimastic FB1 - 2x 50 mm cavity 50 mm- Metal pipes insulated elastomer****B.1.14.3****Steel pipes - Elastomer LS 400 / CS - Multiwrap**

Drawing: PBf E-CU-MW2-MFB1 2 22.LS.C

Services	Pipe dimensions (mm)		Insulation			Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 12	≥ 1	ArmaFlex AF (min. class B-s3, d0 B_L -s3, d0)	11	LS 400 / CS	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor		EI 120 C/U E 240 C/U
Copper / (stainless) steel / cast iron	≤ Ø 54	≥ 1.5		11 - 28.5				EI 90 C/U
Copper / (stainless) steel / cast iron	≤ Ø 54	≥ 1.5		13.5 - 28.5				EI 45 C/U E 90 C/U
(Stainless) Steel / cast iron	≤ Ø 168.3	≥ 4.5		28.5				EI 90 C/U
(Stainless) Steel / cast iron	≤ Ø 168.3	≥ 4.5		13 - 19				EI 45 C/U E 120 C/U




B.1.14 Multimastic FB1 - 2x 50 mm cavity ≥ 50 mm- Metal pipes insulated elastomer**B.1.14.3 Steel pipes - Elastomer LS 400 / CS - Multiwrap**

Services	Pipe dimensions (mm)		Insulation			Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configura-tion			
(Stainless) Steel / cast iron	≤ Ø 40	≥ 2.0	Kaiflex KK Plus (min. class B-s2, d0 B _L -s2, d0)	19	LS 400 / CS	Multiwrap (2 layers)	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 45 C/U E 120 C/U

B.1.14**Multimastic FB1 - 2x 50 mm cavity 50 mm- Metal pipes insulated elastomer****B.1.14.4****Copper and steel pipes - ArmaFlex Protect LS 400 / CS**Bottom view

Drawing: PBrf.E-CU-MFB1.2.22.LS.C

Services	Pipe dimensions (mm)		Insulation			Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration		
Copper / (stainless) steel / cast iron	$\leq \emptyset 22$	≥ 1.0	ArmaFlex Protect	20 - 25	LS 400 / CS	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 120 C/U
	$\leq \emptyset 54$	≥ 1.5		25			

B.1.15**Multimastic FB2 - 1x 60 mm - Metal pipes insulated elastomer****B.1.15.1****Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR**Bottom view

Drawing: PBrf.E-CU-MFB2-G2.4.22.LS

Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	8.5 - 35	Multimastic GR ≥ 10 x 20 (wdx) bottom of floor	Multimastic SP 0-10 x ≥ 20 (wdx)	top of floor	EI 60 C/U
				35				EI 120 C/U
	≤ Ø 54	≥ 1.5		13.5				EI 60 C/U
				13.5 - 38				EI 45 C/U
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	8.5 - 35				E 120 C/U
				35				EI 60 C/U
				13.5				EI 90 C/U
	≤ Ø 114.3	≥ 3.6		15 - 43				EI 120 C/U
								EI 60 C/U
								E 120 C/U

B.1.15**Multimastic FB2 - 1x 60 mm - Metal pipes insulated elastomer****B.1.15.1****Copper and steel pipes - Elastomer LS 400 / CS - Multisealant GR**

Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	Kaiflex KK Plus (min. class B-s2, d0 B _L -s2, d0)	8.5	LS 400 / CS	Multisealant GR ≥ 10 x 20 (wxd)	Multimastic SP 0-20 x ≥ 10 (wxd) top of floor	EI 45 C/U

Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex NH (min. class D-s3, d0 D _L -S3, d0)	9 - 25	LS 400 / CS	Multimastic SP 0-20 x ≥ 10 (wxd) top of floor	Multisealant GR ≥ 10 x 20 (wxd)	EI 60 C/U E 90 C/U
	≤ Ø 54	≥ 1.5		13 - 25				EI 60 C/U
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	ArmaFlex NH (min. class D-s3, d0 D _L -S3, d0)	9 - 25				EI 30 C/U
	≤ Ø 26.9	≥ 2.3		25				EI 60 C/U E 120 C/U
	≤ Ø 114.3	≥ 3.6		19				EI 30 C/U E 120 C/U
				19 - 25				EI 45 C/U E 120 C/U

Services	Pipe dimensions (mm)		Insulation			Product (mm)	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	ArmaFlex Ultima (min. class B-s1, d0 B _L -S1, d0)	9 - 25	LS 400 / CS	Multimastic SP 0-20 x ≥ 10 (wxd) top of floor	Multisealant GR ≥ 10 x 20 (wxd)	EI 30 C/U E 120 C/U
	≤ Ø 54	≥ 1.5		25				EI 60 C/U E 120 C/U
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3	ArmaFlex Ultima (min. class B-s1, d0 B _L -S1, d0)	13 - 32				EI 45 C/U E 120 C/U
	≤ Ø 114.3	≥ 3.6		32				EI 90 C/U
				9 - 25				EI 60 C/U E 120 C/U
				25				EI 90 C/U E 120 C/U
				13				EI 120 C/U
				13 - 32				EI 60 C/U E 120 C/U



B.1.15

Multimastic FB2 - 1x 60 mm - Metal pipes insulated elastomer


B.1.15.2

Steel pipes - Elastomer LS 400 / CS - Multiwrap

Bottom view






Position seal:
top bottom or anywhere
in between






Drawing: PBrf.E-ST-MW2-MFB2.1.22.LS

Services	Pipe dimensions (mm)		Insulation			Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness	Type	Thickness (mm)	Configuration			
(Stainless) Steel / cast iron	≤ Ø 168.3	≥ 4.5	ArmaFlex AF (min. class B-s3, d0 B _L -s3, d0)	13 - 19	LS 400 / CS	Multiwrap (2 layers)	Multimastic SP 0-20 x ≥ 5 (wdx) top of floor	EI 45 C/U E 120 C/U

B.1.16**Multimastic FB1 - 2x 50 mm no cavity - Metal pipes uninsulated****B.1.16.1****Copper and steel pipes - Multimastic SP**Bottom view

Drawing: PBrf.E-CU-MFB1-SPC.1.10

Services	Pipe dimensions (mm)		Coating	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Copper	$\leq \varnothing 22$	≥ 1.0	Coat back 200 mm ≥ 1.5 mm WFT Multimastic SP	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 20 C/U, E 90 C/U
(Stainless) Steel / cast iron					
	$\leq \varnothing 42.4$	≥ 3.2			EI 30 C/U, E 90 C/U

B.1.16**Multimastic FB1 - 2x 50 mm no cavity - Metal pipes uninsulated****B.1.16.2****Copper and steel pipes - Multisealant GR**Bottom viewPosition seal:
top, bottom or anywhere
in between




Drawing: PBrf.E-CU-MFB1-GRC.1.10

Services	Pipe dimensions (mm)		Coating	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Copper / (stainless) steel / cast iron	≤ Ø 15	≥ 1.0	Coat back 200 mm ≥ 1.5 mm WFT Multisealant GR	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 60 C/U, E 90 C/U
(Stainless) Steel / cast iron	≤ Ø 42.4	≥ 3.2			

B.1.16




Multimastic FB1 - 2x 50 mm no cavity - Metal pipes uninsulated

B.1.16.3

Copper and steel pipes - Multidisc




Drawing: PBrf.E-CU-M2.0.10

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Copper / (stainless) steel / cast iron	≤ Ø 15	≥ 1.0	Multidisc bottom of floor	Multimastic SP 0-20 x ≥ 5 (wxd) top of floor	EI 60 C/U

B.1.17**Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes uninsulated****B.1.17.1****Copper and steel pipes - Multimastic SP**Bottom view




Drawing: PBrf.E-CU-MFB1-SPC.1.10.C

Services	Pipe dimensions (mm)		Coating	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Copper / (stainless) steel / cast iron	≤ Ø 22	≥ 1.0	Coat back 200 mm ≥ 1.5 mm WFT Multimastic SP	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 90 C/U, E 120 C/U
(Stainless) Steel / cast iron	≤ Ø 26.9	≥ 2.3			EI 120 C/U
	≤ Ø 42.4	≥ 3.2			EI 90 C/U, E 120 C/U

B.1.17**Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes uninsulated****B.1.17.2****Copper and steel pipes - Multisealant GR**Bottom viewPosition seal:
top bottom or anywhere
in between




Drawing: PBrf.E-CU-MFB1-GRC.1.10.C

Services	Pipe dimensions (mm)		Coating	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Copper / (stainless) steel / cast iron	≤ Ø 15	≥ 1.0	Coat back 200 mm ≥ 1.5 mm WFT Multisealant GR	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 60 C/U, E 120 C/U
(Stainless) Steel / cast iron	≤ Ø 15	≥ 1.0			EI 120 C/U
	≤ Ø 42.4	≥ 3.2			

B.1.17**Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes uninsulated****B.1.17.3****Copper and steel pipes - Multidisc**




Drawing: PBrf.E-CU-M2.0.10.C

Services	Pipe dimensions (mm)		Product	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Copper / (stainless) steel / cast iron	≤ Ø 15	≥ 1.0	Multidisc bottom of floor	Multimastic SP 0-20 x ≥ 5 (wdx) top of floor	EI 60 C/U

B.1.17**Multimastic FB1 - 2x 50 mm cavity 50 mm - Metal pipes uninsulated****B.1.17.4****Copper and steel pipes - Multitherm Bandage**

Drawing: PBf.E-CU-MFB1-B2.3.21.C

Services	Pipe dimensions (mm)		Sealing (mm)	Multitherm Bandage	Classification
	Outer dimension	Wall thickness			
Copper / (stainless) steel / cast iron	$\leq \emptyset 54$	≥ 1.5	Multimastic SP 0-20 x ≥ 5 (wdx)	LI 150 two layers (two wires) + LI 300 one layer (two wires)	EI 90 C/U E 120 C/U




B.1.18**Multimastic FB2 - 1x 60 mm - Metal pipes uninsulated****B.1.18.1****Copper and steel pipes - Multimastic SP**

Drawing: PBrf.E-CU-MFB2-SPC.1.10

Services	Pipe dimensions (mm)		Coating	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Copper	≤ Ø 15	≥ 1.0	Coat back 200 mm ≥ 1.5 mm WFT Multimastic SP	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 20 C/U, E 90 C/U
(Stainless) steel / cast iron	≤ Ø 42.4	≥ 3.2			EI 30 C/U, E 90 C/U




B.1.18**Multimastic FB2- 1x 60 mm - Metal pipes uninsulated****B.1.18.2****Copper and steel pipes - Multisealant GR**

Bottom view



Drawing: PBrf.E-CU-MFB2-GRC.1.10

Services	Pipe dimensions (mm)		Coating	Sealing (mm)	Classification
	Outer dimension	Wall thickness			
Copper	≤ Ø 15	≥ 1.0			
(Stainless) steel / cast iron	≤ Ø 42.4	≥ 3.2	Coat back 200 mm ≥ 1.5 mm WFT Multisealant GR	Multimastic SP 0-20 x ≥ 5 (wxd)	EI 60 C/U, E 90 C/U


B.1.19**Multimastic FB1 - 2x 50 mm cavity 50 mm - Gas pipes****B.1.19.1****Corrugated stainless steel tube gas (CSST) pipes - Multicollar - Multitherm Bandage**

Drawing: PBrf.E-CT-MFB1-B3.1.10.C

Services	Number of pipes	Product	Sealing (mm)	Classification
CFS CSST gas pipe DN 15	≤ 4	Multicollar (bottom of floor) & Multitherm Bandage	Multimastic SP ≥ 5 x 5 (wxd)	EI 120 U/C
CFS CSST gas pipe DN 32	≤ 2			


B.1.19 Multimastic FB1 - 2x 50 mm cavity 50 mm - Gas pipes

B.1.19.2 Corrugated stainless steel tube gas (CSST) pipes - Multisealant GR - Multitherm Bandage




Drawing: PBref.E-GFS-MFB1-B3.1.10.C

Services	Number of pipes	Product	Sealing (mm)	Classification
CFS CSST gas pipe DN 15	≤ 2	Multisealant GR (bottom of floor) & Multitherm Bandage (top of floor)	Multisealant GR ≥ 15 x 20 (wxd) bottom of floor	EI 120 U/C
CFS CSST gas pipe DN 32	1			

B.1.20**Multimastic FB1 - 2x 50 mm no cavity - Busbars****B.1.20.1****Single busbar**

Position seal:
top bottom or anywhere
in between

Side view

Drawing: PBrf.E-1BB-MFB1.2.10


Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductors	Type	Thickness (mm)	Configuration	
Single busbar	≤ 150 x 250 mm	max. 6 x ≤ 200 mm width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120

B.1.20

Multimastic FB1 - 2x 50 mm no cavity - Busbars


B.1.20.1

Single busbar




Position seal:
top bottom or anywhere
in between

Bottom view



Drawing: PBrf.E-1BB-MFB1.2.10

B.1.20**Multimastic FB1 - 2x 50 mm no cavity - Busbars****B.1.20.2****Multiple busbars**


Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductors	Type	Thickness (mm)	Configuration	
Double busbar	≤ 150 x 500 mm	max. 6 x ≤ 200 mm width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120

B.1.20

Multimastic FB1 - 2x 50 mm no cavity - Busbars

B.1.20.2


Multiple busbars



Position seal:
top bottom or anywhere
in between

Bottom view


Mulcol® Multiscrew FB 90 mm




Mulcol® Multimastic FB1
(1x 50 mm, ≥ 1 mm WFT Multimastic C)

Double busbar

Drawing: PBrf-2BB-MFB1.2.10

B.1.21**Multimastic FB1 - 2x 50 mm cavity 50 mm - Busbars****B.1.21.1****Single busbar**

Position seal:
top, bottom or anywhere
in between

Side view

Drawing: PBf.E-1BB-MFB1.2.10.C


Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductors	Type	Thickness (mm)	Configuration	
Single busbar	≤ 150 x 250 mm	max. 6 x ≤ 200 mm width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120

B.1.21

Multimastic FB1 - 2x 50 mm cavity 50 mm - Busbars


B.1.21.1

Single busbar




Position seal:
top bottom or anywhere
in between

Bottom view



Drawing: PBrf.E-1BB-MFB1.2.10.C

B.1.21**Multimastic FB1 - 2x 50 mm cavity 50 mm - Busbars****B.1.21.2****Multiple busbars**

Drawing: PBrf.E-2BB-MFB1.2.10.C


Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductors	Type	Thickness (mm)	Configuration	
Double busbar	≤ 150 x 500 mm	max. 6 x ≤ 200 mm width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120

B.1.21

Multimastic FB1 - 2x 50 mm cavity 50 mm - Busbars

B.1.21.2


Multiple busbars




Drawing: PBrf.E-2BB-MFB1.2.10.C

B.1.22 Directly through floor - Cables, trays and conduits

B.1.22.1 Cables, trays and conduits - Multimastic C - 50 mm



Services	Coating	Classification
Metal cable ladders		
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)	Coat back 50 mm ≥ 1 mm WFT	EI 90, E 120
Cables ≤ Ø 21 mm in a tied bundle ≤ Ø 100 mm	Multimastic C	EI 60, E 120
Cables ≤ Ø 50 mm		EI 90 U/C, E 120 U/C
Plastic conduits ≤ Ø 16 mm		EI 45, E 120
Non sheathed cables ≤ Ø 24 mm		


B.1.22**Directly through floor - Cables, trays and conduits****B.1.22.2****Cables, trays and conduits - Multimastic C - 150 mm**

Drawing: RF.E-PB-CT-0.12

Services	Coating	Classification
Metal cable ladders		
Metal (non-)perforated cable trays		
Steel wire mesh cable trays (baskets)		
Non sheathed cables $\leq \varnothing 17$ mm	Coat back 150 mm ≥ 1.5 mm WFT	EI 120
Cables $\leq \varnothing 21$ mm in a tied bundle $\leq \varnothing 100$ mm	Multimastic SP/C	
Plastic conduits $\leq \varnothing 16$ mm		EI 120 U/C
Cables $\leq \varnothing 80$ mm		EI 90, E 120

B.1.23**Directly through floor - Busbars****B.1.23.1****Single busbar**

Side view




Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductors	Type	Thickness (mm)	Configuration	
Single busbar	$\leq 150 \times 250$ mm	max. $6 \times \leq 200$ mm width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120

B.1.23 Directly through floor - Busbars

B.1.23.1 Single busbar


Bottom view



Drawing: RF.E-1BB-0.10

B.1.23 Directly through floor - Busbars

B.1.23.2 Multiple busbars




Drawing: RF.E-2BB-0.10

Services	Service dimensions		Insulation			Classification
	Outside dimension	Conductors	Type	Thickness (mm)	Configuration	
Double busbar	≤ 150 x 500 mm	max. 6 x ≤ 200 mm width (per busbar)	Multimastic FB1	50	LI 400 / CI	EI 120


B.1.23 Directly through floor - Busbars

B.1.23.2 Multiple busbars

Bottom view



Drawing: RF.E-2BB-0.10

C.1**Flexible and rigid wall - General****C.1.1****Mutual distances & distance to first support****Mutual distances Mixed Penetration Seal – Mulcol® Multimastic C System**



- a₁ Distance between cables/cable trays and metal pipes
- a₂ Distance between cables/cable trays and plastic pipes
- a₃ Distance between metal pipes and plastic pipes
- a₄ Distance between plastic pipes
- a₅ Distance between metal pipes with non-combustible insulation
- a₆ Distance between cable trays
- a₇ Distance between plastic pipes and pipes with combustible insulation
- a₈ Distance between pipes with non-combustible insulation and pipes with combustible insulation
- a₉ Distance between cables/cable trays and pipes with combustible insulation
- a₁₀ Distance between cables stacked together or in a row
- b₁ Distance between cables/cable trays and the upper seal edge
- b₂ Distance between cables/cable trays and the side seal edge
- b₃ Distance between cables/cable tray and the lower seal edge
- b₄ Distance between metal pipes and all seal edges
- b₅ Distance between plastic pipes and all seal edges

Service support construction

First support for all services at 450 mm, except cable trays at 250 mm.



C.1.2 Flexible and rigid wall - Maximum seal dimensions

C.1.2.1 Multimastic FB1 - 2x 50 mm no aperture framing




Drawing: PBfw.E-BS-MFB1.2.10

Services	Classification
Maximum seal size 1500 x 2500 mm (width x height or height x width) With a maximum surface of 3 m ²	EI 60
Maximum circular seal size Ø 1954 mm	
Maximum seal size 1200 x 1200 mm With a maximum surface of 1.44 m ²	EI 60, E 90
Maximum circular seal size Ø 1354 mm	
Maximum seal size 625 x 475 mm (w x h) With a maximum surface of 0.24 m ²	EI 120
Maximum circular seal size Ø 550 mm	

C.1.2**Flexible and rigid wall - General - Maximum seal dimensions****C.1.2.2****Multimastic FB1 - 2x 50 mm with aperture framing**



Drawing: PBfw.E-BS-A-MFB1.2.10

Services	Classification
Maximum seal size 1500 x 2500 mm (width x height or height x width) With a maximum surface of 3 m ²	EI 120
Maximum circular seal size Ø 1954 mm	
Maximum seal size 1200 x 2000 mm (width x height or height x width) With a maximum surface of 2.44 m ²	EI 180
Maximum circular seal size Ø 1748 mm	

C.1.2**Flexible and rigid wall - General - Maximum seal dimensions****C.1.2.3****Maximum seal dimensions - Multimastic FB1 - 2x 50 mm - Pattress**


Drawing: PBPfw-BS-MFB1.2.10

Services	Classification
Maximum seal size 750 x 1250 mm (width x height or height x width) With a maximum surface of 0.75 m ²	EI 120
Maximum circular seal size Ø 1093 mm	

C.1.2**Flexible and rigid wall - General - Maximum seal dimensions****C.1.2.4****Maximum seal dimensions - Multimastic FB2 - 1x 60 mm with aperture framing**



Drawing: PBfw.E-BS-MFB2.1.10

Services	Classification
Maximum seal size 1500 x 2500 mm (width x height or height x width) With a maximum surface of 3.0 m ²	EI 60
Maximum circular seal size Ø 1954 mm	
Maximum seal size 1200 x 1200 mm With a maximum surface of 1.44 m ²	EI 60, E 90
Maximum circular seal size Ø 1354 mm	
Maximum seal size 563 x 525 mm (width x height or height x width) With a maximum surface of 0.24 m ²	EI 90
Maximum circular seal size Ø 548 mm	
Maximum seal size 450 x 420 mm (width x height or height x width) With a maximum surface of 0.19 m ²	EI 120
Maximum circular seal size Ø 491 mm	

C.1.2**Flexible and rigid wall - General - Maximum seal dimensions****C.1.2.5****Maximum seal dimensions - Multimastic FB2 - 1x 60 mm with aperture framing**

Drawing: PBfw.E-BS-fs-MFB2.1.10

Services	Classification
Maximum seal size 1500 x 2500 mm (width x height or height x width) With a maximum surface of 3.0 m ²	EI 60
Maximum circular seal size Ø 1954 mm	
Maximum seal size 1200 x 1200 mm With a maximum surface of 1.44 m ²	EI 60, E 90
Maximum circular seal size Ø 1354 mm	
Maximum seal size 563 x 525 mm (width x height or height x width) With a maximum surface of 0.24 m ²	EI 90
Maximum circular seal size Ø 548 mm	
Maximum seal size 450 x 420 mm (width x height or height x width) With a maximum surface of 0.19 m ²	EI 120
Maximum circular seal size Ø 491 mm	

C.1.2**Rigid wall - General - Maximum seal dimensions****C.1.2.6****Maximum seal dimensions - Multimastic FB2 - 2x 60 mm with cavity 30 mm**

Drawing: RW150.E-BS-MFB2.2.10

Services

Maximum seal size 1200 x 1200 mm

With a maximum surface of 1.44 m²

Maximum circular seal size Ø 1354 mm

Classification


EI 240

C.1.2

Rigid wall - General - Maximum seal dimensions

C.1.2.7

Maximum seal dimensions - Multimastic FB1 - 2x 50 mm - Pattress fixed to wall



Drawing: PBPrw150.E-BS-MFB2.2.10

Services


Maximum seal size 750 x 600 mm (width x height or height x width)

With a maximum surface of 0.45 m²

Maximum circular seal size Ø 757 mm

Classification

EI 240

C.2**Rigid floor - General****C.2.1****Mutual distances & distance to first support****Mutual distances Mixed Penetration Seal – Mulcol® Multimastic C System**

- a₁ Distance between cables/cable trays and metal pipes
- a₂ Distance between cables/cable trays and plastic pipes
- a₃ Distance between metal pipes and plastic pipes
- a₄ Distance between plastic pipes
- a₅ Distance between metal pipes with non-combustible insulation
- a₆ Distance between cable trays
- a₇ Distance between plastic pipes and pipes with combustible insulation
- a₈ Distance between pipes with non-combustible insulation and pipes with combustible insulation
- a₉ Distance between cables/cable trays and pipes with combustible insulation
- a₁₀ Distance between cables stacked together or in a row
- b₁ Distance between cables/cable trays and the upper seal edge
- b₂ Distance between cables/cable trays and the side seal edge
- b₃ Distance between cables/cable tray and the lower seal edge
- b₄ Distance between metal pipes and all seal edges
- b₅ Distance between plastic pipes and all seal edges

Service support construction



First support for all services at 450 mm, except cable trays at 250 mm.

C.2.2

Rigid floor - General - Maximum seal dimensions



C.2.2.1

Maximum seal dimensions - Multimastic FB1 - 2x 50 mm no cavity




Drawing: PBrf.E-BS-MFB1.2.10

Services	Classification
Maximum seal size 1200 x 1200 mm	
Maximum seal size 9000 x 900 mm	EI 90, E 120
Maximum circular seal size Ø 1354 mm	
Maximum seal size 600 x 400 mm	EI 120
Maximum circular seal size Ø 553 mm	
Maximum seal size 450 x 450 mm	EI 240
Maximum circular seal size Ø 508 mm	


C.2.2**Rigid floor - General - Maximum seal dimensions****C.2.2.2****Maximum seal dimensions - Multimastic FB1 - 2x 50 mm cavity 50 mm**

Drawing: PBrf.E-BS-MFB1.2.10.C

Services	Classification
Maximum seal size 1200 x 1200 mm	
Maximum seal size 9000 x 900 mm	EI 90, E 120
Maximum circular seal size Ø 1354 mm	
Maximum seal size 1200 x 600 mm	
Maximum seal size 9000 x 600 mm	EI 120
Maximum circular seal size Ø 957 mm	
Maximum seal size 450 x 450 mm	
Maximum circular seal size Ø 508 mm	EI 240

C.2.2**Rigid floor - General - Maximum seal dimensions****C.2.2.3****Maximum seal dimensions - Multimastic FB2 - 1x 60 mm**

Position seal:
top bottom or anywhere
in between



Drawing: PBrf.E-BS-MFB2.1.10

Services	Classification
Maximum seal size 1200 x 1200 mm	
Maximum seal size 9000 x 900 mm	EI 90, E 120
Maximum circular seal size Ø 1354 mm	

C.3

Wall configurations

C.3.1

Allowed wall configurations

The use of Mulcol® Multimastic C is allowed in all double sided flexible wall constructions (with or without insulation) of the same or higher fire resistance classification in accordance with EN 13501-2, with a lining made of gypsum boards (EN 520) or Calcium Silicate boards which are CE marked for the application as lining of flexible wall, if their construction is in accordance with the rules given below.


Field of direct application rules for double-sided flexible wall constructions:

- flexible wall constructions as shown in solutions given in Annex A of this document;
- flexible wall constructions with the same or higher number of board layers of the same or higher board thickness on each side of the wall, with insulation of any type or without insulation;
- flexible wall constructions with a reduced number of board layers but the same or higher board thickness on each side of the wall as tested, with insulation of any type or without insulation;
- flexible wall constructions with timber studs, no part of the penetration seal closer than 100 mm to any stud or nogging piece, the cavity closed between the penetration seal and the stud/nogging piece with minimum 100 mm of insulation of class A1 or A2 in accordance with EN 13501-1;
- rigid constructions of an overall thickness equal to or greater than that given in the solutions in Annex A and a minimum density of 350 kg/m³. In case of hollow brick wall the same rules regarding aperture framing apply as for double-sided flexible walls.

Allowed constructions (not limited by):


Flexible walls, not insulated, partially removed insulation or fully insulated with any type of insulation.

e.g.:



Double stud walls, separated by ≥ 0 mm, not insulated, partially insulated or fully insulated with any type of insulation.

e.g.:



C.3

Wall configurations


C.3.1

Allowed wall configurations

Walls with a reduced number of board layers but the same or higher overall lining thickness on each side of the wall as shown in the solutions in Annex A.

Walls with a higher number of board layers, where individual boards are thinner yet the overall lining thickness is at least that of shown in the solutions in Annex A.

e.g.:



Rigid walls with a density of $\geq 350 \text{ kg/m}^3$

e.g.:

